















Pol	Profil	Delka [mm]	ks	8	10	12	16	20	28
*1	50	16	3800	6					
*13	50	16	6300	12					
*14	50	12	6600	138					
*15	50	16	6600	15					
*16	50	28	6600	4					
17	50	12	1950	12					
18	50	12	2000	12					
19	50	12	2000	12					
20	50	8	700	210	147.0				
21	50	16	1500	18					
22	50	20	1970	8					
23	50	16	1600	6					
29	50	12	2100	84					
30	50	16	2150	4					
31	50	12	2540	16					
32	50	12	2580	16					
33	50	12	2610	16					
34	50	28	13400	11					
36	50	16	4350	3					
37	50	12	4400	3					
41	50	28	12850	33					
42	50	12	5840	44					
43	50	28	6630	44					
44	50	12	2320	44					
45	50	12	4030	33					
46	50	12	4430	11					
47	50	10	4900	48					
48	50	8	1450	44	63.8				
CELKOVÁ DELKA [m]				210.8	235.2	1836.2	257.8	163.2	742.2
HMOTNOST [kg]				83.2	145.0	1630.2	406.9	402.4	3587.4
CELKOVÁ HMOTNOST [kg]									6255.1







Pol	Profil	Delka [mm]	ks	8	10	12	16	20	28
*1	50	16	3800	6					
*13	50	16	6300	12					
*14	50	12	6600	138					
*15	50	16	6600	15					
*16	50	28	6600	4					
17	50	12	1950	12					
18	50	12	2000	12					
19	50	12	2000	12					
20	50	8	700	210	147.0				
21	50	16	1500	18					
22	50	20	1970	8					
23	50	16	1600	6					
29	50	12	2100	84					
30	50	16	2150	4					
31	50	12	2540	16					
32	50	12	2580	16					
33	50	12	2610	16					
34	50	28	13400	11					
36	50	16	4350	3					
37	50	12	4400	3					
41	50	28	12850	33					
42	50	12	5840	44					
43	50	28	6630	44					
44	50	12	2320	44					
45	50	12	4030	33					
46	50	12	4430	11					
47	50	10	4900	48					
48	50	8	1450	44	63.8				
CELKOVÁ DELKA [m]				210.8	235.2	1836.2	257.8	163.2	742.2
HMOTNOST [kg]				83.2	145.0	1630.2	406.9	402.4	3587.4
CELKOVÁ HMOTNOST [kg]									6255.1







Pol	Profil	Delka [mm]	ks	8	10	12	16	20	28
*1	50	16	3800	6					
*8	50	28	5800	4					
*9	50	16	5900	15					
*10	50	12	5900	136					
*11	50	16	6000	6					
17	50	12	1950	12					
18	50	12	2000	12					
19	50	12	2000	12					
20	50	8	700	210	147.0				
21	50	16	1500	18					
22	50	20	1970	8					
23	50	16	1600	6					
29	50	12	2100	82					
30	50	16	2150	4					
31	50	12	2540	16					
32	50	12	2580	16					
33	50	12	2610	16					
41	50	28	12850	39					
42	50	12	5840	39					
43	50	28	6630	39					
44	50	12	2320	39					
45	50	12	4030	39					
46	50	8	1450	39	56.6				
CELKOVÁ DELKA [m]				203.6	1645.1	194.7	15.8	782.9	
HMOTNOST [kg]				80.3	1460.5	307.2	38.9	3784.4	
CELKOVÁ HMOTNOST [kg]								5671.3	



Pol	Profil	Delka [mm]	ks	8	10	12	16	20	28
*1	50	16	3800	6					
*8	50	28	5800	4					
*9	50	16	5900	15					
*10	50	12	5900	136					
*11	50	16	6000	6					
17	50	12	1950	12					
18	50	12	2000	12					
19	50	12	2000	12					
20	50	8	700	210	147.0				
21	50	16	1500	18					
22	50	20	1970	8					
23	50	16	1600	6					
29	50	12	2100	82					
30	50	16	2150	4					
31	50	12	2540	16					
32	50	12	2580	16					
33	50	12	2610	16					
41	50	28	12850	39					
42	50	12	5840	39					
43	50	28	6630	39					
44	50	12	2320	39					
45	50	12	4030	39					
46	50	8	1450	39	56.6				
CELKOVÁ DELKA [m]				203.6	1645.1	194.7	15.8	782.9	
HMOTNOST [kg]				80.3	1460.5	307.2	38.9	3784.4	
CELKOVÁ HMOTNOST [kg]								5671.3	



Pol	Profil	Delka [mm]	ks	8	10	12	16	20	28
*1	50	16	3800	6					
*8	50	28	5800	4					
*9	50	16	5900	15					
*10	50	12	5900	136					
*11	50	16	6000	6					
17	50	12	1950	12					
18	50	12	2000	12					
19	50	12	2000	12					
20	50	8	700	210	147.0				
21	50	16	1500	18					
22	50	20	1970	8					
23	50	16	1600	6					
29	50	12	2100	82					
30	50	16	2150	4					
31	50	12	2540	16					
32	50	12	2580	16					
33	50	12	2610	16					
41	50	28	12850	39					
42	50	12	5840	39					
43	50	28	6630	39					
44	50	12	2320	39					
45	50	12	4030	39					
46	50	8	1450	39	56.6				
CELKOVÁ DELKA [m]				203.6	1645.1	194.7	15.8	782.9	
HMOTNOST [kg]				80.3	1460.5	307.2	38.9	3784.4	
CELKOVÁ HMOTNOST [kg]								5671.3	



Kg]	80.3	9.2	1406.7	316.4	478.7	225.6	3163.2
UT [kg]	5674.2						

1370
500
90°

1100
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°

1000
500
90°