

SK 00-00-02																											
Čís. řezu	Staničení	Vzdálenost	Staré šterkové lože (včetně pražců)				Nové šterkové lože (včetně pražců)				Polozapuštěné lože				Výkop zeminy				Konstrukční vrstva ŠD 0/32				Konstrukční vrstva ŠD 0/63				Stabilita
			m ²	Σ m ²	φ m ²	m ³	m ²	Σ m ²	φ m ²	m ³	m ²	Σ m ²	φ m ²	m ³	m ²	Σ m ²	φ m ²	m ³	m ²	Σ m ²	φ m ²	m ³	m ²	Σ m ²	φ m ²	m ³	
P	km	m																									m
0	20.356000		0.0				0.0				0.0				0.0				0.0				0.0				0.0
		19.000		5.0	2.5	47.5		5.1	2.6	48.4		0.0	0.0	0.0		4.8	2.4	45.6		3.4	1.7	32.3		0.0	0.0	0.0	
1	20.375000		5.0				5.1				0.0				4.8				3.4				0.0				11.6
		25.000		10.6	5.3	131.9		10.2	5.1	127.5		0.0	0.0	0.0		11.1	5.6	138.7		6.8	3.4	85.0		0.0	0.0	0.0	
2	20.400000		5.6				5.1				0.0				6.3				3.4				0.0				11.6
		25.000		11.0	5.5	136.9		10.2	5.1	127.5		0.2	0.1	2.5		12.9	6.4	160.6		6.7	3.3	83.3		0.0	0.0	0.0	
3	20.425000		5.4				5.1				0.2				6.6				3.3				0.0				11.2
		25.000		10.9	5.5	136.2		10.5	5.3	131.2		0.2	0.1	2.5		14.7	7.3	183.4		6.8	3.4	84.9		0.0	0.0	0.0	
4	20.450000		5.5				5.2				0.0				7.9				3.2				0.0				10.6
		25.000		11.1	5.6	138.7		10.7	5.3	133.1		0.0	0.0	0.0		16.9	8.4	210.6		6.8	3.4	84.4		0.0	0.0	0.0	
5	20.475000		5.5				5.4				0.0				8.1				3.5				0.0				10.0
		25.000		11.1	5.6	138.7		10.9	5.4	135.6		0.0	0.0	0.0		17.1	8.5	213.4		7.1	3.5	88.5		0.0	0.0	0.0	
6	20.500000		5.6				5.5				0.0				9.0				3.6				0.0				10.0
		25.000		11.2	5.6	140.0		10.9	5.5	136.2		0.0	0.0	0.0		20.0	10.0	249.4		7.1	3.6	88.7		0.0	0.0	0.0	
7	20.525000		5.6				5.5				0.0				11.0				3.6				0.0				10.0
		25.000		10.9	5.5	136.3		10.9	5.5	136.3		0.0	0.0	0.0		21.8	10.9	272.5		7.1	3.6	88.8		0.0	0.0	0.0	
8	20.550000		5.3				5.5				0.0				10.8				3.6				0.0				10.0
		25.000		9.2	4.6	114.4		10.9	5.5	136.2		0.0	0.0	0.0		22.2	11.1	277.5		7.1	3.6	88.7		0.0	0.0	0.0	
9	20.575000		3.9				5.5				0.0				11.4				3.6				0.0				10.0
		25.000		6.9	3.4	85.6		10.9	5.5	136.3		0.0	0.0	0.0		23.3	11.7	291.3		4.8	2.4	60.0		6.2	3.1	76.9	
10	20.600000		3.0				5.5				0.0				11.9				1.3				6.2				10.0
		25.000		6.2	3.1	77.5		10.9	5.5	136.2		0.0	0.0	0.0		23.8	11.9	297.5		2.6	1.3	32.5		12.3	6.2	153.7	
11	20.625000		3.2				5.5				0.0				11.9				1.4				6.2				10.3
		25.000		6.2	3.1	77.5		10.9	5.5	136.2		0.0	0.0	0.0		47.6	23.8	595.0		1.4	0.7	16.9		19.9	9.9	248.1	
12	20.650000		3.0				5.5				0.0				35.7				0.0				13.7				14.5
		25.000		6.3	3.2	78.8		11.0	5.5	136.9		0.0	0.0	0.0		72.8	36.4	910.0		0.0	0.0	0.0		27.6	13.8	345.0	
13	20.675000		3.3				5.5				0.0				37.1				0.0				13.9				14.0
		25.000		7.1	3.6	88.7		11.0	5.5	136.9		0.0	0.0	0.0		70.3	35.2	878.7		0.0	0.0	0.0		27.7	13.9	346.2	
14	20.700000		3.8				5.5				0.0				33.2				0.0				13.8				12.9
		25.000		6.8	3.4	85.0		10.6	5.3	131.9		0.0	0.0	0.0		69.3	34.7	866.3		0.0	0.0	0.0		26.4	13.2	330.0	
15	20.725000		3.0				5.1				0.0				36.1				0.0				12.6				12.4
		25.000		6.0	3.0	75.0		10.2	5.1	127.5		0.0	0.0	0.0		74.4	37.2	930.0		0.0	0.0	0.0		25.2	12.6	315.0	
16	20.750000		3.0				5.1				0.0				38.3				0.0				12.6				12.1
		25.000		5.4	2.7	67.5		10.2	5.1	126.9		0.0	0.0	0.0		92.3	46.2	1153.7		0.0	0.0	0.0		24.9	12.5	311.2	
17	20.775000		2.4				5.1				0.0				54.0				0.0				12.3				12.1
		25.000		7.4	3.7	92.5		10.1	5.1	126.3		0.0	0.0	0.0		84.7	42.4	1058.8		0.0	0.0	0.0		24.7	12.4	308.8	
18	20.800000		5.0				5.1				0.0				30.7				0.0				12.4				12.1
		25.000		10.0	5.0	125.0		10.2	5.1	126.9		0.0	0.0	0.0		67.5	33.8	843.7		0.0	0.0	0.0		24.7	12.4	308.7	
19	20.825000		5.0				5.1				0.0				36.8				0.0				12.3				12.1
		25.000		10.0	5.0	125.0		10.2	5.1	127.5		0.0	0.0	0.0		76.3	38.2	953.8		0.0	0.0	0.0		24.6	12.3	307.5	
20	20.850000		5.0				5.1				0.0				39.5				0.0				12.3				12.2
		25.000		10.0	5.0	125.0		10.2	5.1	127.5		0.0	0.0	0.0		71.8	35.9	897.5		0.0	0.0	0.0		24.6	12.3	307.5	
21	20.875000		5.0				5.1				0.0				32.3				0.0				12.3				12.5
		25.000		10.0	5.0	125.0		10.3	5.1	128.1		0.0	0.0	0.0		82.3	41.2	1028.7		0.0	0.0	0.0		24.9	12.5	311.2	
22	20.900000		5.0				5.2				0.0				50.0				0.0				12.6				12.5
		25.000		10.2	5.1	126.9		10.5	5.2	130.8		0.0	0.0	0.0		97.2	48.6	1214.4		0.0	0.0	0.0		26.2	13.1	327.5	
23	20.925000		5.2				5.3				0.0				47.2				0.0				13.6				12.0
		25.000		10.2	5.1	126.9		10.7	5.3	133.2		0.0	0.0	0.0		100.7	50.3	1258.1		0.0	0.0	0.0		27.2	13.6	340.0	
24	20.950000		5.0				5.4				0.0				53.5				0.0				13.6				12.0
		25.000		9.9	4.9	123.1		10.7	5.4	133.8		0.0	0.0	0.0		75.4	37.7	942.5		4.3	2.2	53.8		14.2	7.1	177.5	
25	20.975000		4.9				5.4				0.0				21.9				4.3				0.6				11.8
		25.000		9.9	4.9	123.1		10.5	5.3	131.2		0.0	0.0	0.0		36.6	18.3	456.9		7.8	3.9	96.9		1.2	0.6	15.0	
26	21.000000		5.0				5.2				0.0				14.7				3.5				0.6				11.2
		25.000		9.9	5.0	123.7		10.3	5.2	128.7		0.1	0.1	1.2		23.6	11.8	294.4		6.7	3.3	83.1		0.6	0.3	7.5	
27	21.025000		4.9				5.2				0.1				8.9				3.2				0.0				10.7
		25.000		9.6	4.8	120.0		10.2	5.1	127.5		0.1	0.1	2.5		16.7	8.4	208.8		6.4	3.2	80.0		0.0	0.0	0.0	
28	21.050000		4.7				5.1				0.2				7.8				3.2				0.0				10.7
		25.000		9.5	4.8	118.7		10.1	5.1	126.2		0.3	0.2	3.7		15.3	7.7	191.2		6.4	3.2	80.0		0.0	0.0	0.0	
29	21.075000		4.8				5.1				0.2				7.5				3.2				0.0				10.5
		25.000		9.6	4.8	120.0		10.1	5.1	126.3		0.4	0.2	5.0		15.0	7.5	187.5		6.4	3.2	80.0		0.0	0.0	0.0	
30	21.100000		4.8				5.1				0.2				7.5				3.2				0.0				10.5
Celkem		744	3 331																								

Čís. řezu	Staničení	Vzdálenost	Izace směsným pojivem			Hloubení drenážní rýhy				Dřevěné pažení				Zásyp drenážní ryhýhy ŠD 31/63				Geotextilie v rýze				Geobuňky	
			Σ m	φ m	m ²	m ²	Σ m ²	φ m ²	m ³	m	Σ m	φ m	m ²	m ²	Σ m ²	φ m ²	m ³	m	Σ m	φ m	m ²	m ²	Σ m ²
0	20.356000					0.0				0.0				0.0				0.0				0.0	
		19.000	11.6	5.8	110.2		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.0
1	20.375000					0.0				0.0				0.0				0.0				0.0	
		25.000	23.2	11.6	290.0		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		1.8	0.9	22.5		0.0
2	20.400000					0.0				0.0				0.0				1.8				0.0	
		25.000	22.8	11.4	285.0		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		3.5	1.7	43.1		0.0
3	20.425000					0.0				0.0				0.0				1.7				0.0	
		25.000	21.2	10.6	264.4		0.7	0.3	8.2		0.0	0.0	0.0		0.7	0.4	8.7		6.3	3.2	78.7		0.0
4	20.450000					0.0				0.0				0.0				2.3				0.0	
		25.000	20.5	10.3	256.2		0.7	0.3	8.1		0.0	0.0	0.0		0.7	0.4	9.0		7.1	3.5	88.1		0.0
5	20.475000					0.7				0.0				0.7				4.7				0.0	
		25.000	19.9	10.0	248.7		1.3	0.7	16.4		0.0	0.0	0.0		1.4	0.7	17.7		9.4	4.7	117.5		0.0
6	20.500000					0.7				0.0				0.7				4.8				0.0	
		25.000	19.9	10.0	248.7		1.3	0.7	16.2		0.0	0.0	0.0		1.5	0.7	18.1		9.7	4.8	120.6		0.0
7	20.525000					0.7				0.0				0.7				4.9				0.0	
		25.000	19.9	10.0	248.8		3.0	1.5	37.5		2.1	1.1	26.3		2.8	1.4	35.4		12.9	6.5	161.3		0.0
8	20.550000					2.4				2.1				2.1				8.0				0.0	
		25.000	19.9	10.0	248.7		4.6	2.3	57.5		4.1	2.1	51.2		4.1	2.1	51.2		16.0	8.0	199.4		0.0
9	20.575000					2.3				2.0				2.0				8.0				0.0	
		25.000	19.9	10.0	248.8		5.2	2.6	64.4		4.2	2.1	51.9		4.7	2.4	58.8		17.1	8.6	213.8		0.0
10	20.600000					2.9				2.2				2.7				9.2				0.0	
		25.000	20.2	10.1	252.5		5.5	2.7	68.1		4.2	2.1	51.9		5.3	2.6	65.6		17.6	8.8	219.6		0.0
11	20.625000					2.6				2.0				2.6				8.4				0.0	
		25.000	24.8	12.4	309.4		7.6	3.8	94.4		7.0	3.5	87.5		7.1	3.5	88.1		18.6	9.3	232.7		32.6
12	20.650000					5.0				5.0				4.5				10.2				32.6	
		25.000	28.5	14.3	356.3		9.8	4.9	122.5		9.8	4.9	122.5		8.9	4.5	111.3		20.2	10.1	252.5		71.3
13	20.675000					4.8				4.8				4.4				10.0				38.7	
		25.000	26.9	13.4	335.6		9.5	4.8	118.7		9.5	4.8	118.7		8.7	4.4	108.7		19.8	9.9	247.5		85.5
14	20.700000					4.7				4.7				4.3				9.8				46.8	
		25.000	25.2	12.6	315.0		9.3	4.7	116.3		9.3	4.7	116.3		8.2	4.1	102.5		19.4	9.7	242.5		109.9
15	20.725000					4.6				4.6				3.9				9.6				63.1	
		25.000	24.5	12.2	305.6		9.1	4.6	113.7		9.1	4.6	113.7		7.7	3.8	95.6		19.0	9.5	237.5		138.4
16	20.750000					4.5				4.5				3.8				9.4				75.3	
		25.000	24.2	12.1	302.5		8.9	4.5	111.2		8.9	4.5	111.2		7.5	3.7	93.1		18.7	9.4	233.7		201.1
17	20.775000					4.4				4.4				3.7				9.3				125.8	
		25.000	24.2	12.1	302.5		7.9	4.0	98.8		7.9	4.0	98.8		6.6	3.3	82.5		16.9	8.5	211.3		191.0
18	20.800000					3.5				3.5				2.9				7.6				65.2	
		25.000	24.2	12.1	302.5		3.8	1.9	47.5		3.5	1.8	43.7		3.2	1.6	40.0		9.8	4.9	122.5		152.7
19	20.825000					0.3				0.0				0.3				2.2				87.5	
		25.000	24.3	12.2	303.8		2.1	1.0	25.6		0.0	0.0	0.0		1.6	0.8	20.0		6.5	3.2	80.6		160.8
20	20.850000					1.8				0.0				1.3				4.3				73.3	
		25.000	24.7	12.4	308.7		4.6	2.3	57.5		2.7	1.4	33.7		3.6	1.8	45.0		12.8	6.4	159.4		112.0
21	20.875000					2.9				2.7				2.3				8.5				38.7	
		25.000	25.0	12.5	312.5		6.9	3.4	85.6		6.5	3.3	81.2		6.3	3.1	78.1		17.3	8.6	215.6		150.7
22	20.900000					4.0				3.8				4.0				8.8				112.0	
		25.000	24.5	12.3	306.3		8.2	4.1	101.9		8.0	4.0	100.0		6.6	3.3	82.5		18.5	9.2	230.6		228.0
23	20.925000					4.2				4.2				2.7				9.7				116.0	
		25.000	24.0	12.0	300.0		8.3	4.1	103.1		8.3	4.2	103.7		5.3	2.6	65.6		19.1	9.5	238.1		223.9
24	20.950000					4.1				4.1				2.6				9.4				107.9	
		25.000	23.8	11.9	296.9		8.1	4.1	101.3		8.1	4.1	101.3		5.2	2.6	64.4		19.1	9.6	238.8		135.4
25	20.975000					4.0				4.0				2.6				9.8				27.5	
		25.000	23.0	11.5	286.9		8.1	4.1	101.2		8.1	4.1	101.2		5.2	2.6	65.0		20.0	10.0	249.4		50.0
26	21.000000					4.1				4.1				2.7				10.2				22.5	
		25.000	21.9	11.0	273.7		4.1	2.1	51.2		4.1	2.1	51.2		2.7	1.3	33.1		14.0	7.0	174.4		22.5
27	21.025000					0.0				0.0				0.0				3.8				0.0	
		25.000	21.4	10.7	267.5		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		7.3	3.6	90.6		0.0
28	21.050000					0.0				0.0				0.0				3.5				0.0	
		25.000	21.2	10.6	265.0		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		6.6	3.3	82.5		0.0
29	21.075000					0.0				0.0				0.0				3.1				0.0	
		25.000	21.0	10.5	262.5		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		6.2	3.1	77.5		0.0
30	21.100000					0.0				0.0				0.0				3.1				0.0	
Celkem		744			10 250				1 895				1 600				1 440				5 370		

Čís. řezu	Staničení	Vzdálenost	v. 200 mm		ŠD 0/32				ŠD 16/32				ŠD 0/63				Kamenný filtr				Nepropustná zemina		
			φ m ²	m ³	m ²	Σ m ²	φ m ²	m ³	m ²	Σ m ²	φ m ²	m ³	m ²	Σ m ²	φ m ²	m ³	m ²	Σ m ²	φ m ²	m ³	m ²	Σ m ²	φ m ²
P	km	m																					
0	20.356000				0.0				0.0				0.0				0.0				0.0		
		19.000	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0
1	20.375000				0.0				0.0				0.0				0.0				0.0		
		25.000	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.5	0.3	6.2		0.4	0.2
2	20.400000				0.0				0.0				0.0				0.5				0.4		
		25.000	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.8	0.4	10.0		0.5	0.3
3	20.425000				0.0				0.0				0.0				0.3				0.2		
		25.000	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.7	0.3	8.1		0.4	0.2
4	20.450000				0.0				0.0				0.0				0.4				0.3		
		25.000	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.8	0.4	9.4		0.5	0.3
5	20.475000				0.0				0.0				0.0				0.4				0.3		
		25.000	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.7	0.4	8.7		0.5	0.3
6	20.500000				0.0				0.0				0.0				0.4				0.3		
		25.000	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.7	0.4	8.7		0.5	0.3
7	20.525000				0.0				0.0				0.0				0.4				0.3		
		25.000	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.7	0.4	8.8		0.5	0.3
8	20.550000				0.0				0.0				0.0				0.4				0.3		
		25.000	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.7	0.4	8.7		0.5	0.3
9	20.575000				0.0				0.0				0.0				0.4				0.3		
		25.000	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.7	0.4	8.8		0.5	0.3
10	20.600000				0.0				0.0				0.0				0.4				0.3		
		25.000	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.7	0.4	8.7		0.5	0.3
11	20.625000				0.0				0.0				0.0				0.4				0.3		
		25.000	16.3	407.5	4.9	4.9	2.5	61.2	2.8	2.8	1.4	35.0	0.6	0.6	0.3	7.6	0.0	0.4	0.2	4.4	0.0	0.3	0.1
12	20.650000																						
		25.000	35.7	891.3		10.2	5.1	127.5		6.4	3.2	80.0		2.3	1.1	28.3		0.0	0.0	0.0		0.0	0.0
13	20.675000				5.3				3.6				1.7								0.0		
		25.000	42.8	1068.7		12.3	6.2	153.7		6.7	3.4	83.7		4.1	2.0	50.9		0.0	0.0	0.0		0.0	0.0
14	20.700000				7.0				3.1				2.4								0.0		
		25.000	55.0	1373.8		16.4	8.2	205.0		8.9	4.5	111.3		6.4	3.2	80.3		0.0	0.0	0.0		0.0	0.0
15	20.725000				9.4				5.8				4.0								0.0		
		25.000	69.2	1730.0		20.4	10.2	255.0		10.8	5.4	135.0		8.8	4.4	110.0		0.0	0.0	0.0		0.0	0.0
16	20.750000				11.0				5.0				4.8								0.0		
		25.000	100.6	2513.7		29.6	14.8	370.0		13.0	6.5	162.5		34.4	17.2	430.0		0.0	0.0	0.0		0.0	0.0
17	20.775000				18.6				8.0				29.6								0.0		
		25.000	95.5	2387.5		28.4	14.2	355.0		11.3	5.7	141.3		33.9	17.0	423.8		0.0	0.0	0.0		0.0	0.0
18	20.800000				9.8				3.3				4.3								0.0		
		25.000	76.4	1908.7		22.9	11.5	286.2		7.8	3.9	97.5		11.3	5.7	141.2		0.0	0.0	0.0		0.0	0.0
19	20.825000				13.1				4.5				7.0								0.0		
		25.000	80.4	2010.0		24.1	12.1	301.3		8.2	4.1	102.5		12.6	6.3	157.5		0.0	0.0	0.0		0.0	0.0
20	20.850000				11.0				3.7				5.6								0.0		
		25.000	56.0	1400.0		16.7	8.4	208.7		5.8	2.9	72.5		8.3	4.2	103.7		0.9	0.5	11.2		0.4	0.2
21	20.875000				5.7				2.1				2.7								0.9		
		25.000	75.3	1883.1		22.4	11.2	280.0		7.8	3.9	97.5		10.5	5.3	131.2		1.9	1.0	23.7		0.8	0.4
22	20.900000				16.7				5.7				7.8								1.0		
		25.000	114.0	2849.4		33.8	16.9	422.5		12.4	6.2	155.0		15.4	7.7	192.5		1.7	0.9	21.3		0.8	0.4
23	20.925000				17.1				6.7				7.6								0.7		
		25.000	112.0	2798.7		33.0	16.5	412.5		12.4	6.2	155.0		16.7	8.4	208.7		1.2	0.6	14.4		0.8	0.4
24	20.950000				15.9				5.7				9.1								0.5		
		25.000	67.7	1692.5		19.6	9.8	245.0		7.4	3.7	92.5		10.5	5.3	131.3		1.6	0.8	19.4		0.8	0.4
25	20.975000				3.7				1.7				1.4								1.1		
		25.000	25.0	625.0		7.0	3.5	87.5		3.5	1.8	43.7		2.0	1.0	25.0		2.2	1.1	27.5		0.8	0.4
26	21.000000				3.3				1.8				0.6								1.1		
		25.000	11.3	281.2		3.3	1.7	41.2		1.8	0.9	22.5		0.6	0.3	7.5		2.0	1.0	24.4		0.8	0.4
27	21.025000				0.0				0.0				0.0								0.9		
		25.000	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		1.5	0.7	18.1		0.8	0.4
28	21.050000				0.0				0.0				0.0								0.6		
		25.000	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		1.0	0.5	12.5		0.8	0.4
29	21.075000				0.0				0.0				0.0								0.4		
		25.000	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		0.8	0.4	10.0		0.8	0.4
30	21.100000				0.0				0.0				0.0								0.4		
Celkem		744		29 700				4 195				1 745				2 450				350			

Čís. řezu	Staničení	Vzdálenost		Propustná zemina				Hydroizolační nátěr				Úprava zemní pláň ztuhčením				Polovegetační dlažba				Hydroosev			
P	km	m	m³	m²	Σ m²	φ m²	m³	m	Σ m	φ m	m²	m	Σ m	φ m	m²	m	Σ m	φ m	m²	m	Σ m	φ m	m²
0	20.356000	19.000	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.6	5.8	110.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	20.375000			0.0				0.0				0.0				0.0				0.0			
2	20.400000	25.000	6.3	0.4	0.4	0.2	4.4	3.0	3.0	1.5	37.5	11.6	23.2	11.6	290.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	20.425000			0.1				3.0				11.2				0.0				0.0			
4	20.450000	25.000	6.2	0.2	0.2	0.1	2.5	3.0	6.0	3.0	75.0	10.6	21.2	10.6	264.4	0.0	2.8	1.4	35.0	0.0	0.0	0.0	0.0
5	20.475000			0.1				3.0				10.6				0.0				5.8			
6	20.500000	25.000	6.2	0.1	0.2	0.1	2.6	3.0	6.0	3.0	75.0	10.0	19.9	10.0	248.7	2.8	8.6	4.3	107.0	0.0	0.0	0.0	0.0
7	20.525000			0.1				3.0				10.0				5.8				11.0			
8	20.550000	25.000	6.3	0.1	0.2	0.1	2.9	3.0	6.0	3.0	75.0	10.0	19.9	10.0	248.8	5.2	10.4	5.2	130.0	0.0	0.0	0.0	0.0
								0.1				3.0				10.0				5.2			
9	20.575000	25.000	6.3	0.1	0.2	0.1	2.5	3.0	6.0	3.0	75.0	10.0	19.9	10.0	248.8	3.5	3.5	1.8	43.8	0.0	2.5	1.3	31.3
10	20.600000			0.1				3.0				10.0				0.0				0.0			
11	20.625000	25.000	3.1	0.1	0.1	0.1	1.2	3.0	3.0	1.5	37.5	10.3	20.2	10.1	252.5	0.0	0.0	0.0	0.0	0.0	2.5	1.3	31.2
								0.0				16.5				26.8				13.4			
12	20.650000	25.000	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.6	35.1	17.6	438.8	0.0	0.0	0.0	0.0	4.3	9.8	4.9	121.9
13	20.675000			0.0				18.6				37.2				18.6				465.0			
14	20.700000	25.000	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.6	37.1	18.6	463.8	0.0	0.0	0.0	0.0	7.0	16.8	8.4	209.4
15	20.725000			0.0				18.5				36.7				18.4				458.7			
16	20.750000	25.000	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.2	36.1	18.0	450.6	0.0	0.0	0.0	0.0	11.8	28.9	14.4	360.6
				0.0				17.9				33.6				16.8				420.0			
17	20.775000	25.000	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.8	31.5	15.8	393.7	0.0	0.0	0.0	0.0	10.7	25.5	12.8	318.7
18	20.800000			0.0				15.8				31.5				15.8				393.8			
19	20.825000	25.000	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.8	31.7	15.8	395.6	0.0	0.0	0.0	0.0	12.7	19.2	9.6	240.0
20	20.850000			0.0				15.9				32.3				16.2				403.7			
21	20.875000	25.000	10.0	0.0	0.3	0.2	3.7	4.3	8.6	4.3	107.5	16.4	32.8	16.4	410.0	0.0	0.0	0.0	0.0	21.8	40.8	20.4	510.0
				0.3				16.4				32.8				16.4				410.0			
22	20.900000	25.000	10.0	0.3	0.7	0.4	8.8	4.3	8.6	4.3	107.5	17.8	34.2	17.1	427.5	0.0	0.0	0.0	0.0	23.1	26.6	13.3	332.5
23	20.925000			0.4				16.4				34.2				17.1				427.5			
24	20.950000	25.000	10.0	0.6	0.8	0.4	10.0	4.3	8.6	4.3	107.5	14.4	32.2	16.1	402.5	0.0	0.0	0.0	0.0	3.5	6.5	3.3	81.2
25	20.975000			0.3				14.4				27.6				13.8				345.0			
26	21.000000	25.000	10.0	0.3	1.0	0.5	11.9	4.3	8.6	4.3	107.5	13.2	23.9	11.9	298.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	21.025000			0.7				13.2				23.9				11.9				298.1			
28	21.050000	25.000	10.0	0.7	1.4	0.7	16.9	3.9	8.2	4.1	102.5	10.7	21.4	10.7	266.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
				0.7				3.9				7.8				3.9				97.5			
29	21.075000	25.000	10.0	0.7	1.4	0.7	17.5	3.9	7.8	3.9	97.5	10.5	21.0	10.5	262.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	21.100000			0.7				3.9				7.8				3.9				97.5			
Celkem		744	215		175				1 950				10 500				600				4 750		

Čís. řezu	Staničení	Vzdálenost	Penetrační makadam				ochranná vrstva ŠD 0/63			
			m ²	Σ m ²	φ m ²	m ³	m ²	Σ m ²	φ m ²	m ³
0	20.356000		0.0							
		19.000		0.0	0.0	0.0		0.0	0.0	0.0
1	20.375000		0.0							
		25.000		0.0	0.0	0.0		0.0	0.0	0.0
2	20.400000		0.0							
		25.000		0.0	0.0	0.0		0.0	0.0	0.0
3	20.425000		0.0							
		25.000		0.0	0.0	0.0		0.0	0.0	0.0
4	20.450000		0.0							
		25.000		0.0	0.0	0.0		0.0	0.0	0.0
5	20.475000		0.0							
		25.000		0.0	0.0	0.0		0.0	0.0	0.0
6	20.500000		0.0							
		25.000		0.0	0.0	0.0		0.0	0.0	0.0
7	20.525000		0.0							
		25.000		0.0	0.0	0.0		0.0	0.0	0.0
8	20.550000		0.0							
		25.000		0.0	0.0	0.0		0.0	0.0	0.0
9	20.575000		0.0							
		25.000		0.0	0.0	0.0		0.0	0.0	0.0
10	20.600000		0.0							
		25.000		0.0	0.0	0.0		1.5	0.8	18.7
11	20.625000		0.0				1.5			
		25.000		0.0	0.0	0.0		4.5	2.3	56.2
12	20.650000		0.0				3.0			
		25.000		0.0	0.0	0.0		6.0	3.0	75.0
13	20.675000		0.0				3.0			
		25.000		0.0	0.0	0.0		6.0	3.0	75.0
14	20.700000		0.0				3.0			
		25.000		0.0	0.0	0.0		6.0	3.0	75.0
15	20.725000		0.0				3.0			
		25.000		0.0	0.0	0.0		6.0	3.0	75.0
16	20.750000		0.0				3.0			
		25.000		0.0	0.0	0.0		6.0	3.0	75.0
17	20.775000		0.0				3.0			
		25.000		0.0	0.0	0.0		6.0	3.0	75.0
18	20.800000		0.0				3.0			
		25.000		0.0	0.0	0.0		6.0	3.0	75.0
19	20.825000		0.0				3.0			
		25.000		0.0	0.0	0.0		6.0	3.0	75.0
20	20.850000		0.0				3.0			
		25.000		0.0	0.0	0.0		6.0	3.0	75.0
21	20.875000		0.0				3.0			
		25.000		0.0	0.0	0.0		6.0	3.0	75.0
22	20.900000		0.0				3.0			
		25.000		0.0	0.0	0.0		6.0	3.0	75.0
23	20.925000		0.0				3.0			
		25.000		0.8	0.4	10.0		6.0	3.0	75.0
24	20.950000		0.8				3.0			
		25.000		1.6	0.8	20.0		6.0	3.0	75.0
25	20.975000		0.8				3.0			
		25.000		0.8	0.4	10.0		3.0	1.5	37.5
26	21.000000		0.0							
		25.000		0.0	0.0	0.0		0.0	0.0	0.0
27	21.025000		0.0							
		25.000		0.0	0.0	0.0		0.0	0.0	0.0
28	21.050000		0.0							
		25.000		0.0	0.0	0.0		0.0	0.0	0.0
29	21.075000		0.0							
		25.000		0.0	0.0	0.0		0.0	0.0	0.0
30	21.100000		0.0							
Celkem		744				50				1 100

Sjezd ČOV

Čís. řezu	Staničení	Vzdálenost	Výkop zeminy				Násyp ŠD 0/63				Geobuňky v. 200 mm				ŠD 0/32				ŠD 16/32				Úprava pláň zhut		
P	km	m	m ²	Σ m ²	φ m ²	m ³	m ²	Σ m ²	φ m ²	m ³	m ²	Σ m ²	φ m ²	m ³	m ²	Σ m ²	φ m ²	m ³	m ²	Σ m ²	φ m ²	m ³	m	Σ m	
0	0.000000																						4.5		
		10.000		0.0	0.0	0.0		5.5	2.8	27.5		0.0	0.0	0.0		0.0	0.0	0.0		0.0	0.0	0.0		6.5	11.0
1	0.010000			0.8	0.4	4.0	5.5	17.3	8.6	86.3		16.5	8.3	82.5		2.5	1.3	12.5		0.9	0.5	4.5		9.8	16.3
2	0.020000		0.8	2.4	1.2	12.0	11.8	31.7	15.8	158.3		16.5	43.0	21.5	215.0	2.5	7.5	3.8	37.5	0.9	2.6	1.3	12.8		19.0
		10.000		1.6	4.3	2.2	19.9	48.7	24.3	243.3		26.5	75.4	37.7	377.0	5.0	12.4	6.2	61.8	1.7	4.2	2.1	20.8		16.7
4	0.040000		2.3	5.9	3.0	29.5	26.0	55.7	27.9	278.5		36.7	97.8	48.9	489.0	5.8	15.2	7.6	75.8	2.5	5.4	2.7	27.0		15.0
		10.000		2.7	6.3	3.2	28.8	58.5	29.2	292.3		48.9	110.0	55.0	550.0	7.4	16.8	8.4	83.8	2.5	5.4	2.7	27.0		14.2
6	0.060000		3.6	7.8	3.9	39.0	29.7	58.5	29.3	292.5		61.1	134.6	67.3	673.0	9.4	20.4	10.2	102.0	2.9	6.6	3.3	33.0		12.1
		10.000		4.2	9.3	4.7	28.8	51.1	25.6	255.5		73.5	161.1	80.6	805.5	11.0	24.5	12.3	122.5	3.7	7.8	3.9	39.0		9.2
8	0.080000		5.1	14.1	7.1	70.5	22.3	36.3	18.2	181.5		87.6	185.3	92.7	926.5	13.5	28.2	14.1	140.8	4.1	9.1	4.6	45.5		6.9
		10.000		9.0	36.5	18.3	14.0	27.0	13.5	67.5		97.7	203.6	101.8	509.0	14.7	22.9	11.5	57.3	5.0	7.5	3.7	18.6		6.0
9	0.090000		5.000	46.2	23.1	207.9	9.2	22.2	11.1	99.9		101.8	207.7	103.9	934.6	16.0	24.3	12.1	109.1	5.3	7.8	3.9	34.9		6.0
		9.000		27.5			13.0					105.9				8.3				2.5				3.0	
11	0.104000		27.5				13.0					105.9				8.3				2.5				3.0	
Celkem		104				670				2 150				6 400				930				340			

Čís. řezu	Staničení	Vzdálenost	měním + geotextilie	
			φ m	m ²
0	0.000000			
		10.000	5.5	55.0
1	0.010000			
		10.000	8.2	81.5
2	0.020000			
		10.000	9.5	95.0
3	0.030000			
		10.000	8.4	83.5
4	0.040000			
		10.000	7.5	75.0
5	0.050000			
		10.000	7.1	71.0
6	0.060000			
		10.000	6.0	60.3
7	0.070000			
		10.000	4.6	46.0
8	0.080000			
		10.000	3.4	34.3
9	0.090000			
		5.000	3.0	15.0
10	0.095000			
		9.000	3.0	27.0
11	0.104000			
Celkem		104		800