

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
A1	MSÚ	1137.87	33.09	-6.25	-1.52	-24.09
A1	MSÚ	1365.34	-11.75	30.46	22.79	2.48
A1	MSÚ	1328.37	34.83	-3.47	0.94	-26.56
A1	MSÚ	1195.56	-38.43	-0.71	3.29	13.49
A1	MSÚ	1101.34	-11.74	26.88	20.02	3.88
A1	MSÚ	1634.61	-24.35	8.55	10.23	3.73
A1	MSÚ	1374.56	-38.69	0.95	4.89	12.6
A1	MSÚ	1149.36	35.09	-5.13	-0.66	-25.68
A1	MSÚ	1108.73	34.35	-6.37	-1.45	-24.99
A1	MSÚ	1394.48	-13.01	30.58	22.71	3.37
A1	MSÚ	1141.22	-11.22	27.56	20.57	3.29
A1	MSÚ	1375.33	-38.47	1.51	5.13	12.5
A1	MSP	1128.47	21.52	-0.86	2.21	-17.87
A1	MSP	1171	-8.22	22.64	17.47	0.38
A1	MSP	1146.36	22.84	0.01	2.91	-18.98
A1	MSP	1166.93	-26.16	2.83	5.42	7.18
A1	MSP	1104.12	-8.37	21.22	16.58	0.78
A1	MSP	1219.84	-16.63	6.95	7.94	2.04
A1	MSP	1177.15	-26.17	2.96	5.54	7.13
A1	MSP	1136.14	22.85	-0.12	2.79	-18.92
A1	MSP	1109.05	22.36	-0.94	2.27	-18.46
A1	MSP	1190.43	-9.06	22.72	17.42	0.97
A1	MSP	1130.71	-8.02	21.67	16.94	0.38
A1	MSP	1177.66	-26.03	3.33	5.7	7.06

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
A2	MSÚ	1054.18	-28.13	-4.03	-1.14	7.89
A2	MSÚ	1191.51	36.28	-12.68	-5.25	-31.38
A2	MSÚ	1047.82	-43.35	-10.96	-4.8	16.62
A2	MSÚ	973.5	36.92	-11.8	-4.72	-30.13
A2	MSÚ	1472.53	-18.63	-7.83	-7.22	2.43
A2	MSÚ	1215.73	-44.37	-12.24	-5.61	15.84
A2	MSÚ	1023.6	37.29	-11.41	-4.44	-30.61
A2	MSÚ	1220.18	-14.1	-18.18	-10.23	0.54
A2	MSÚ	1050.46	-20.7	2.13	-2.12	8.5
A2	MSÚ	1074.91	-21.14	-6.76	-7.95	8.45
A2	MSÚ	1184.56	-42.95	-7.01	-2.09	15.08
A2	MSP	1031.99	-20.91	-5.2	-2.36	3.87
A2	MSP	1026.43	22.66	-10.22	-4.62	-21.9
A2	MSP	1027.75	-31.06	-9.82	-4.8	9.68
A2	MSP	978.2	22.45	-10.37	-4.74	-21.48
A2	MSP	1098.73	-13.05	-6.29	-5.49	1.05
A2	MSP	1042.57	-31.1	-9.93	-4.86	9.58
A2	MSP	1011.6	22.7	-10.12	-4.56	-21.8
A2	MSP	1045.54	-10.92	-13.89	-7.94	-0.63
A2	MSP	1029.51	-15.96	-1.09	-3.01	4.27
A2	MSP	1045.81	-16.26	-7.02	-6.9	4.24
A2	MSP	1021.79	-30.16	-6.44	-2.52	9.07

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
A3	MSÚ	1113.28	-6.6	-9.73	-4.84	-2.12
A3	MSÚ	1240.75	-18.07	5.69	5.51	2.13
A3	MSÚ	1238.92	30.45	-5.14	-0.38	-29.3
A3	MSÚ	1085.5	-29.1	-1.82	1.16	10.09
A3	MSÚ	1015.94	29.75	-3.9	0.36	-27.37
A3	MSÚ	1513.55	-18.41	-2.13	0.2	0.62
A3	MSÚ	1235.88	-29.32	-1.82	1.2	9.1
A3	MSÚ	1088.53	30.67	-5.14	-0.42	-28.3
A3	MSÚ	1099.44	-9.6	-10.22	-4.08	0.85
A3	MSÚ	1225.44	-14.96	11.11	4.25	4.98
A3	MSÚ	1098.89	-14.39	1.41	-2.41	5.61
A3	MSÚ	1229.31	-28.17	1.61	3.64	8.19
A3	MSP	1082.04	-4.9	-6.48	-3.14	-3.67
A3	MSP	1066.76	-12.4	3.79	3.74	-0.17
A3	MSP	1065.54	19.95	-3.42	-0.19	-21.12
A3	MSP	1017.14	19.34	-2.6	0.33	-20.5
A3	MSP	1129.3	-12.28	-1.52	0.1	-0.46
A3	MSP	1063.52	-19.89	-1.21	0.86	4.48
A3	MSP	1072.81	-6.9	-6.81	-2.63	-1.68
A3	MSP	1056.55	-10.32	7.41	2.89	1.73
A3	MSP	1072.44	-10.09	0.94	-1.52	1.49
A3	MSP	1059.13	-19.13	1.08	2.49	3.87

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
A4	MSÚ	825.67	18.57	-4.97	-0.42	-20.7
A4	MSÚ	1103.29	1.19	21.15	10.96	-0.37
A4	MSÚ	963.63	21.08	-3.45	0.65	-22.9
A4	MSÚ	965.34	-1.32	19.63	9.88	1.83
A4	MSÚ	787.87	18.06	-4.51	-0.15	-20.34
A4	MSÚ	1300.81	6.67	17.33	9.85	-6.45
A4	MSÚ	965.31	-1.33	19.56	9.85	1.83
A4	MSÚ	963.65	21.08	-3.38	0.68	-22.9
A4	MSÚ	825.66	18.57	-4.98	-0.42	-20.7
A4	MSÚ	1103.3	1.18	21.16	10.96	-0.37
A4	MSÚ	834.66	1.81	15.49	7.29	-0.34
A4	MSÚ	1095.11	3.77	3.13	4.42	-3.39
A4	MSP	815.16	15.42	-1.65	0.93	-16.96
A4	MSP	831.15	2.93	15.27	8.16	-2.47
A4	MSP	829.04	16.19	-1.13	1.29	-17.49
A4	MSP	817.27	2.16	14.75	7.8	-1.94
A4	MSP	789.96	15.08	-1.35	1.11	-16.72
A4	MSP	869.27	5.54	11.94	6.87	-5.37
A4	MSP	817.25	2.15	14.7	7.78	-1.94
A4	MSP	829.06	16.2	-1.08	1.31	-17.49
A4	MSP	815.16	15.42	-1.66	0.93	-16.96
A4	MSP	831.15	2.93	15.28	8.16	-2.47
A4	MSP	821.15	4.24	11.99	6.06	-3.38
A4	MSP	825.7	4.66	3.26	3.8	-4.49

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
A5	MSÚ	838.27	108.91	-9.79	-4.18	-19.81
A5	MSÚ	685.64	-63.82	10.19	2.72	32.7
A5	MSÚ	1144.52	24.7	-7.56	-3.69	8.64
A5	MSÚ	863.15	-187.97	-8.75	-3.94	61.83
A5	MSÚ	971.65	-56.35	-12.34	-5.17	34.18
A5	MSÚ	716.52	-70.23	10.35	2.77	35.23
A5	MSÚ	864.18	-63.54	9.4	2.46	33.89
A5	MSÚ	823.99	-63.05	-11.39	-4.86	35.53
A5	MSP	697.9	58.81	-7.08	-3.24	-6.06
A5	MSP	687.14	-56.34	6.24	1.35	28.94
A5	MSP	761.05	8.59	-5.19	-2.59	9.43
A5	MSP	737.62	-135.03	-6.22	-2.95	46.26
A5	MSP	718.95	-47.29	-8.62	-3.77	27.83
A5	MSP	707.73	-60.61	6.35	1.39	30.64
A5	MSP	715.17	-56.15	5.71	1.18	29.74
A5	MSP	711.51	-51.75	-7.98	-3.56	28.73

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
A6	MSÚ	775.2	133.04	-10.19	-4.37	-19.35
A6	MSÚ	798.23	-211.75	-9.17	-4.14	65.5
A6	MSÚ	634.86	-66.31	9.27	2.35	34.59
A6	MSÚ	1063.53	37.29	-7.69	-3.8	10.88
A6	MSÚ	798.88	-211.75	-8.85	-4.03	65.49
A6	MSÚ	774.56	133.04	-10.51	-4.48	-19.35
A6	MSÚ	898.79	-56.43	-12.93	-5.44	35.96
A6	MSÚ	669.33	-73.87	9.92	2.58	37.47
A6	MSÚ	803.22	-66.83	8.81	2.2	36.28
A6	MSÚ	764.9	-63.46	-11.82	-5.06	37.16
A6	MSP	638.25	74.7	-7.49	-3.43	-5.15
A6	MSP	681.93	-151.03	-6.6	-3.13	49.13
A6	MSP	635.16	-56.44	5.23	0.96	30.49
A6	MSP	702.6	14.89	-5.06	-2.59	11.55
A6	MSP	682.36	-151.03	-6.39	-3.05	49.12
A6	MSP	637.82	74.71	-7.7	-3.51	-5.15
A6	MSP	657.97	-47.48	-9.11	-3.99	29.44
A6	MSP	658.67	-63.23	5.92	1.2	32.73
A6	MSP	656.93	-58.54	5.18	0.94	31.93
A6	MSP	659.71	-52.17	-8.37	-3.74	30.24

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
A7	MSÚ	847.94	-72.95	-12.87	-5.42	40.06
A7	MSÚ	655.96	-85.06	10	2.62	41.13
A7	MSÚ	745	106.84	-10.05	-4.32	-10.07
A7	MSÚ	759.11	-209.29	-9.07	-4.1	62.55
A7	MSÚ	608.26	-56.55	-8.59	-3.82	31.16
A7	MSÚ	1018.85	-160.16	-6.88	-3.51	55.81
A7	MSÚ	759.75	-209.29	-8.74	-3.98	62.54
A7	MSÚ	744.35	106.84	-10.38	-4.43	-10.07
A7	MSÚ	863.69	-77.05	-12.87	-5.42	41.66
A7	MSÚ	640.2	-80.96	10	2.62	39.53
A7	MSÚ	774.34	-73.54	8.84	2.21	38.32
A7	MSÚ	729.56	-84.47	-11.7	-5.01	42.86
A7	MSP	617.59	-60.12	-9.06	-3.97	32.61
A7	MSP	640.56	-73	5.99	1.23	35.8
A7	MSP	608.92	54.93	-7.37	-3.39	1.66
A7	MSP	649.37	-151.02	-6.53	-3.1	47.6
A7	MSP	608.28	-52.63	-6.66	-3.15	28.96
A7	MSP	668.24	-118.22	-4.49	-2.39	41.86
A7	MSP	649.79	-151.02	-6.3	-3.02	47.6
A7	MSP	608.49	54.93	-7.6	-3.47	1.67
A7	MSP	628.09	-62.86	-9.06	-3.97	33.68
A7	MSP	630.06	-70.27	6	1.23	34.73
A7	MSP	628.48	-65.32	5.22	0.96	33.93
A7	MSP	629.67	-67.8	-8.28	-3.7	34.48

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
A8	MSÚ	702.45	102.41	-8.04	-3.66	-25.5
A8	MSÚ	688.34	-89.65	-7.36	-3.55	27.97
A8	MSÚ	565.97	100.91	-8.02	-3.65	-25.23
A8	MSÚ	939.39	-52.98	-5.71	-3.16	19.7
A8	MSÚ	604.69	-89.67	-7.1	-3.33	27.35
A8	MSÚ	786.1	102.44	-8.3	-3.88	-24.88
A8	MSÚ	805.25	-12.53	-10.33	-4.59	15.02
A8	MSÚ	585.91	-17.65	7.59	1.76	15.26
A8	MSÚ	804.59	101.09	-8.5	-3.95	-24.29
A8	MSÚ	586.2	-88.33	-6.9	-3.27	26.75
A8	MSP	657.33	68.33	-5.95	-2.94	-15.6
A8	MSP	566.34	67.32	-5.94	-2.93	-15.42
A8	MSP	721.92	-35	-4.08	-2.29	13.51
A8	MSP	592.16	-59.73	-5.33	-2.72	19.63
A8	MSP	670.1	-8.32	-7.31	-3.41	11
A8	MSP	579.64	-11.71	4.46	0.68	11.57
A8	MSP	669.66	67.43	-6.09	-2.98	-15.2
A8	MSP	579.83	-58.83	-5.19	-2.67	19.23



Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
A9	MSÚ	760.68	157.84	-10.46	-4.52	-21.09
A9	MSÚ	624.15	152.86	-9.91	-4.33	-20.24
A9	MSÚ	1041.11	-68.79	-10.07	-4.7	42.99
A9	MSÚ	777.72	-232.41	-9.72	-4.4	67.07
A9	MSÚ	884.43	-59.26	-13.53	-5.72	40.82
A9	MSÚ	654.74	-56.31	9.39	2.34	34.27
A9	MSÚ	791.06	-49.12	8.24	1.94	33.21
A9	MSÚ	748.11	-66.45	-12.38	-5.32	41.89
A9	MSP	715.4	92.76	-7.82	-3.61	-6.54
A9	MSP	624.38	89.44	-7.45	-3.48	-5.97
A9	MSP	795.56	-48.76	-7.08	-3.35	30.79
A9	MSP	665.32	-163.73	-7.08	-3.35	50.02
A9	MSP	736.46	-48.3	-9.62	-4.23	32.52
A9	MSP	644.77	-50.01	5.41	0.97	30.37
A9	MSP	735.65	-45.21	4.64	0.7	29.66
A9	MSP	645.58	-53.09	-8.85	-3.96	33.23

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
A10	MSÚ	789.87	147.64	-10.04	-4.34	-18.49
A10	MSÚ	653.32	139.92	-9.43	-4.13	-17.23
A10	MSÚ	1089.48	-70.68	-9.56	-4.48	45.01
A10	MSÚ	817.42	-232	-9.19	-4.17	67.76
A10	MSÚ	923.9	-62.8	-13.08	-5.52	43.24
A10	MSÚ	687.34	-56.43	9.78	2.51	35.01
A10	MSÚ	823.68	-49.3	8.64	2.12	33.92
A10	MSÚ	787.55	-69.93	-11.95	-5.13	44.33
A10	MSP	744.93	84.9	-7.42	-3.43	-4.4
A10	MSP	653.9	79.75	-7.01	-3.29	-3.56
A10	MSP	830.84	-50.29	-6.7	-3.19	32.24
A10	MSP	698.88	-164.2	-6.64	-3.16	50.76
A10	MSP	769.87	-51.4	-9.23	-4.06	34.42
A10	MSP	676.58	-51.14	5.8	1.13	31.27
A10	MSP	767.48	-46.39	5.04	0.87	30.55
A10	MSP	678.97	-56.15	-8.47	-3.8	35.14

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
A11	MSÚ	745.29	130.22	-9.18	-3.97	-16.74
A11	MSÚ	608.79	126.49	-8.66	-3.79	-16.18
A11	MSÚ	1022.28	-78.87	-8.18	-3.88	46.33
A11	MSÚ	758.35	-219.47	-8.1	-3.7	65.28
A11	MSÚ	855.12	-64.82	-12.06	-5.07	43.33
A11	MSÚ	654.19	-53.28	10.7	2.92	34.06
A11	MSÚ	777.58	-42.74	9.5	2.49	31.51
A11	MSÚ	731.73	-75.35	-10.85	-4.65	45.88
A11	MSP	700.66	72.95	-6.56	-3.06	-3.37
A11	MSP	609.66	70.46	-6.22	-2.94	-3
A11	MSP	781.66	-55.85	-5.69	-2.75	33.09
A11	MSP	649.24	-156.09	-5.71	-2.76	49.01
A11	MSP	713.76	-52.99	-8.35	-3.68	34.37
A11	MSP	639.93	-49.38	6.69	1.53	30.5
A11	MSP	722.19	-42.36	5.89	1.24	28.8
A11	MSP	631.5	-60.01	-7.55	-3.39	36.08

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
A12	MSÚ	573.9	40.29	9.23	4.33	-7.29
A12	MSÚ	509.63	-20.74	-2.34	-8.5	16.8
A12	MSÚ	428.27	-18.43	-4.55	-8.86	15.57
A12	MSÚ	745.4	-6.75	20.4	4.47	7.8
A12	MSÚ	519.94	-49.34	9.49	2.26	15.18
A12	MSÚ	574.01	40.5	9.53	4.43	-7.2
A12	MSÚ	564.63	-16.86	-4.84	-8.96	15.33
A12	MSÚ	523.36	-10.95	23.7	7.13	9.8
A12	MSÚ	564.66	-16.83	-4.79	-8.94	15.19
A12	MSÚ	518.87	36.38	11.68	4.76	-5.69
A12	MSP	527.86	26.28	9.34	3	-3.92
A12	MSP	442.16	-14.23	0.69	-5.59	11.87
A12	MSP	430.77	-12.87	0.16	-5.79	11.33
A12	MSP	579.48	-4.22	14.47	2.99	5.42
A12	MSP	449.03	-33.3	8.57	1.59	10.79
A12	MSP	527.93	26.42	9.54	3.07	-3.86
A12	MSP	521.68	-11.82	-0.04	-5.85	11.17
A12	MSP	451.31	-7.71	18.05	4.84	7.2
A12	MSP	521.7	-11.8	0	-5.84	11.07
A12	MSP	448.32	23.84	10.04	3.26	-3.13

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
B1	MSÚ	856.55	-3.03	-36.74	-16.32	6.34
B1	MSÚ	1031.52	-21.29	32.26	26.41	8.75
B1	MSÚ	909.84	-0.16	-36.16	-15.86	4.3
B1	MSÚ	1157.76	-36.69	-22.25	-4.44	14.79
B1	MSÚ	816.9	-18.84	31.67	24.92	7.99
B1	MSÚ	1231.46	-15.04	-23.11	-5.55	9.61
B1	MSÚ	991.55	-39.96	-34.7	-12.81	14.51
B1	MSÚ	1021.92	-4.03	-37.27	-15.57	6.29
B1	MSÚ	866.15	-20.29	32.8	25.66	8.8
B1	MSÚ	836.46	-20.31	32.29	25.25	8.81
B1	MSÚ	1036.79	-36.05	-35.28	-12.93	11.85
B1	MSP	846.78	-7.76	-25.38	-9.35	6.89
B1	MSP	882.09	-18.23	20.88	18.68	7.71
B1	MSP	882.31	-5.84	-25	-9.05	5.53
B1	MSP	820.35	-18.29	20.23	18.14	7.99
B1	MSP	918.87	-12.25	-15.5	-3.12	7.5
B1	MSP	855.44	-30.68	-23.76	-7.46	11.55
B1	MSP	875.69	-6.73	-25.47	-9.3	6.07
B1	MSP	853.18	-19.26	20.98	18.63	8.53
B1	MSP	833.39	-19.27	20.64	18.36	8.54
B1	MSP	885.6	-28.07	-24.15	-7.55	9.78

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
B2	MSÚ	497.89	15.2	-33.91	-14.47	-4.1
B2	MSÚ	424.5	14.01	-32.93	-13.58	-3.29
B2	MSÚ	754.99	-29.58	-7.52	-7.47	15.37
B2	MSÚ	581.93	-49.45	-36.55	-15.84	22.85
B2	MSÚ	632.82	-47.9	-39.25	-17.97	21.85
B2	MSÚ	493.57	-22.48	9.11	0.75	11.04
B2	MSÚ	514.2	-22.32	5	-2.47	11
B2	MSÚ	599.65	-25.61	-29.41	-12.5	13.21
B2	MSP	483.7	4.65	-26.77	-11.93	0.13
B2	MSP	434.78	3.86	-26.11	-11.34	0.67
B2	MSP	570.19	-22.25	-7.07	-6.28	11.7
B2	MSP	494.95	-36.83	-27.3	-12.17	17.25
B2	MSP	528.88	-35.8	-29.1	-13.59	16.59
B2	MSP	480.82	-20.47	1.91	-1.78	10.22
B2	MSP	494.57	-20.36	-0.83	-3.93	10.2
B2	MSP	506.77	-20.94	-22.54	-9.95	10.82

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
B3	MSÚ	842.37	8	-9.27	-2.19	-0.83
B3	MSÚ	937.15	-22.12	-10.34	-2.84	7.28
B3	MSÚ	726.74	-13.54	-7.29	-2.14	4.13
B3	MSÚ	1199.79	-2.58	-6.18	-1.41	3.07
B3	MSÚ	937.15	-22.12	-10.43	-2.87	7.28
B3	MSÚ	842.38	8	-9.19	-2.17	-0.83
B3	MSÚ	919.64	-18.58	-13.26	-5.41	5.06
B3	MSÚ	856.69	-10.56	10.3	4.2	4.06
B3	MSÚ	939.15	-19.08	-13.24	-5.42	5.35
B3	MSÚ	864.29	-8.88	7.76	4.44	3.49
B3	MSP	806.09	3.08	-6.57	-1.53	0.42
B3	MSP	797.15	-16.33	-7.17	-1.95	5.54
B3	MSP	729.01	-11.27	-5.25	-1.5	3.72
B3	MSP	904.12	-2.81	-4.16	-0.94	2.55
B3	MSP	797.15	-16.33	-7.22	-1.96	5.53
B3	MSP	806.09	3.09	-6.51	-1.51	0.42
B3	MSP	785.47	-13.97	-9.12	-3.66	4.06
B3	MSP	815.64	-9.29	6.48	2.73	3.68
B3	MSP	798.48	-14.31	-9.1	-3.66	4.25
B3	MSP	820.7	-8.17	4.78	2.89	3.3

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
B4	MSÚ	588.16	-0.3	-1.69	1.62	0.1
B4	MSÚ	870.8	-0.78	11.61	7.9	0.25
B4	MSÚ	839.31	1.87	-0.71	3.34	-1.17
B4	MSÚ	631.48	-1.27	8.42	5.75	0.68
B4	MSÚ	563.15	1.03	1.05	2.77	-0.66
B4	MSÚ	1009.39	-0.21	2.2	5.26	0.06
B4	MSÚ	617.76	-1.35	10.9	6.19	0.63
B4	MSÚ	839.33	1.88	-0.58	3.39	-1.17
B4	MSÚ	746.67	0.15	-2.23	2.39	-0.2
B4	MSÚ	712.29	-1.22	12.14	7.12	0.55
B4	MSÚ	680.8	1.43	-0.24	2.55	-0.87
B4	MSÚ	778.06	-0.56	-1.81	3.2	0.29
B4	MSP	580.93	-0.08	0.28	2.33	-0.03
B4	MSP	622.65	-0.44	8.73	6.15	0.1
B4	MSP	601.66	1.33	0.52	3.11	-0.84
B4	MSP	609.81	-0.73	7.02	5.08	0.36
B4	MSP	564.25	0.8	2.11	3.09	-0.53
B4	MSP	654.49	-0.1	2	3.92	0.01
B4	MSP	600.66	-0.78	8.67	5.37	0.33
B4	MSP	601.67	1.33	0.61	3.14	-0.84
B4	MSP	595.6	0.21	-0.08	2.84	-0.22
B4	MSP	607.98	-0.73	9.08	5.63	0.3
B4	MSP	586.99	1.03	0.83	2.58	-0.65
B4	MSP	616.53	-0.26	0.2	3.38	0.1



Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
B8	MSÚ	537.96	-60.34	1.63	0	9.08
B8	MSÚ	751.49	92.3	-2.42	0.01	-13.84
B8	MSÚ	772.07	92.62	-0.39	0.01	-13.88
B8	MSÚ	517.38	-60.52	-0.41	0	9.11
B8	MSÚ	876.77	64.86	-0.42	0	-9.71
B8	MSÚ	517.38	-60.66	-0.4	0	9.13
B8	MSÚ	623.26	14.36	-3.57	0	-2.13
B8	MSÚ	683.39	10.38	2.95	0	-1.54
B8	MSÚ	537.95	-60.53	1.64	0	9.11
B8	MSÚ	751.49	92.49	-2.43	0.01	-13.86
B8	MSP	531.21	-36.31	1	0	5.47
B8	MSP	622.65	64.3	-1.68	0	-9.64
B8	MSP	636.37	64.51	-0.32	0	-9.67
B8	MSP	517.49	-36.43	-0.36	0	5.49
B8	MSP	675.29	44.74	-0.3	0	-6.7
B8	MSP	517.49	-36.52	-0.35	0	5.5
B8	MSP	537.17	12.34	-2.44	0	-1.83
B8	MSP	628.16	10.84	1.88	0	-1.61
B8	MSP	531.2	-36.43	1.01	0	5.49
B8	MSP	622.66	64.43	-1.68	0	-9.65

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
B12	MSÚ	530.4	8.82	-103.85	-35.6	-1.31
B12	MSÚ	769.19	53.01	138.74	38.45	-7.83
B12	MSÚ	530.36	50.29	138.41	38.45	-7.43
B12	MSÚ	876.62	13.89	-54.08	-21.36	-2.07
B12	MSÚ	530.36	-35.43	111.7	29.91	5.22
B12	MSÚ	554.5	8.88	-105.49	-35.6	-1.32
B12	MSÚ	745.09	52.96	140.38	38.45	-7.82
B12	MSÚ	769.19	54.01	138.74	38.45	-7.98
B12	MSP	530.39	8.92	-64.86	-23.73	-1.33
B12	MSP	637.43	37.49	95.58	25.64	-5.54
B12	MSP	530.36	36.56	96.65	25.64	-5.4
B12	MSP	676.45	10.61	-34.73	-14.24	-1.58
B12	MSP	530.36	-20.58	78.84	19.94	3.03
B12	MSP	546.46	8.96	-65.95	-23.73	-1.33
B12	MSP	621.36	37.45	96.67	25.64	-5.53
B12	MSP	637.43	38.15	95.58	25.64	-5.64

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
C1	MSÚ	1169.42	-30.3	-48.39	-19.02	8.5
C1	MSÚ	1302.1	-14.29	55.49	38.53	4.1
C1	MSÚ	1117.28	4.73	-36.76	-13.92	0.97
C1	MSÚ	1073.68	-11.67	53.87	36.3	3.11
C1	MSÚ	1612.2	-28.47	-28.13	-4.98	8.96
C1	MSÚ	1374.55	-33.66	-46.31	-16.72	10.12
C1	MSÚ	1203.55	-31.52	-48.54	-18.87	9.22
C1	MSÚ	1267.97	-13.08	55.65	38.38	3.38
C1	MSÚ	1101.99	-12.76	53.74	36.34	3.69
C1	MSÚ	1369.53	-31.83	-46.64	-16.83	8.91
C1	MSP	1142.68	-24.04	-32.18	-10.16	7.03
C1	MSP	1124.02	-12.24	37.05	27.47	3.69
C1	MSP	1107.92	-0.69	-24.43	-6.76	2.01
C1	MSP	1078.85	-11.62	35.99	26.72	3.44
C1	MSP	1203.43	-20.4	-18.89	-2.56	6.51
C1	MSP	1172.32	-25.15	-30.82	-9.37	7.71
C1	MSP	1165.43	-24.85	-32.29	-10.06	7.51
C1	MSP	1101.27	-11.42	37.15	27.37	3.21
C1	MSP	1097.72	-12.35	35.9	26.75	3.82
C1	MSP	1168.98	-23.93	-31.04	-9.44	6.9

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
C2	MSÚ	698.8	-30.46	-51.58	-22.48	9.66
C2	MSÚ	570.87	-9.86	24.3	7.57	2.34
C2	MSÚ	586.62	28.65	-39.85	-16.83	-13.49
C2	MSÚ	508.05	-30.52	-46.02	-18.67	10.48
C2	MSÚ	866.22	-8.85	1.18	-2.99	0.92
C2	MSÚ	679.63	-33.62	-50.3	-20.97	11.85
C2	MSÚ	704.67	-29.78	-51.6	-22.35	9.15
C2	MSÚ	565	-10.54	24.32	7.44	2.85
C2	MSÚ	615.61	-7.9	22.37	4.92	1
C2	MSÚ	671.28	-9.47	-43.47	-17.35	2
C2	MSP	592.73	-21.48	-37.5	-16.54	6.59
C2	MSP	560.53	-8.24	11.79	2.84	1.77
C2	MSP	571.03	17.44	-30.98	-13.43	-8.78
C2	MSP	518.64	-22.01	-35.09	-14.65	7.2
C2	MSP	652.96	-5.73	-1.13	-3.17	0.17
C2	MSP	579.95	-23.59	-36.64	-15.54	8.05
C2	MSP	596.64	-21.03	-37.51	-16.46	6.25
C2	MSP	556.61	-8.69	11.8	2.75	2.11
C2	MSP	590.36	-6.93	10.5	1.07	0.88
C2	MSP	574.38	-7.49	-32.09	-13.12	1.48

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
C3	MSÚ	448.78	-5.45	2.43	0	1.08
C3	MSÚ	411.49	-5.81	-4.67	0	1.4
C3	MSÚ	384.37	13.49	-2.97	0	-4.86
C3	MSÚ	321.35	10.45	-3.04	0	-2.67
C3	MSÚ	560.04	-13.42	-2.55	0	3.29
C3	MSÚ	431.96	-20.86	-3.34	0	6.6
C3	MSÚ	458.9	-5.73	-8.44	0	1.37
C3	MSÚ	384.51	-7.14	6.48	0	1.74
C3	MSÚ	458.91	-6.43	0.26	0	1.57
C3	MSÚ	401.4	-11.51	-2.28	0	2.59
C3	MSP	374.73	-4.55	1.4	0	0.94
C3	MSP	381.48	-5.17	-3.43	0	1.24
C3	MSP	363.4	7.69	-2.3	0	-2.93
C3	MSP	321.38	5.67	-2.34	0	-1.47
C3	MSP	434.76	-9.04	-2.21	0	2.06
C3	MSP	363.51	-14.82	-2.45	0	4.62
C3	MSP	381.47	-4.73	-5.85	0	1.13
C3	MSP	363.49	-6.06	4	0	1.47
C3	MSP	381.48	-5.2	-0.05	0	1.26
C3	MSP	374.75	-8.97	-1.84	0	2.04

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
C4	MSÚ	626.89	0.26	-7.18	0	-0.48
C4	MSÚ	1041.63	0.74	-10.84	0.01	-0.71
C4	MSÚ	770.62	2.64	-9.82	0.01	-1.78
C4	MSÚ	789.28	-0.78	-8.9	0.01	0.41
C4	MSÚ	603.07	1.91	-6.65	0	-1.2
C4	MSÚ	1065.41	0.51	-12.28	0.01	-0.47
C4	MSÚ	797.35	-0.79	-8.9	0.01	0.41
C4	MSÚ	749.03	2.74	-9.35	0.01	-1.76
C4	MSÚ	1041.62	0.71	-13.36	0.01	-0.7
C4	MSÚ	626.9	0.31	-3.01	0.01	-0.47
C4	MSÚ	886.17	1.21	-9.42	0.01	-0.75
C4	MSÚ	660.2	0.73	-8.82	0.01	-0.61
C4	MSP	618.97	0.45	-6.71	0	-0.52
C4	MSP	674.99	0.73	-8.51	0.01	-0.64
C4	MSP	655.49	1.95	-7.9	0.01	-1.33
C4	MSP	636.24	-0.25	-7.85	0.01	0.07
C4	MSP	603.09	1.54	-6.35	0	-1
C4	MSP	698.02	0.44	-8.77	0.01	-0.38
C4	MSP	641.61	-0.26	-7.85	0.01	0.07
C4	MSP	641.09	2.02	-7.58	0.01	-1.32
C4	MSP	674.98	0.7	-10.19	0.01	-0.63
C4	MSP	618.98	0.48	-3.92	0.01	-0.52
C4	MSP	641.52	1	-7.63	0.01	-0.64
C4	MSP	641.18	0.76	-7.8	0.01	-0.61

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
C8	MSÚ	764.17	91.63	1.29	-0.01	-13.6
C8	MSÚ	549.1	-59.82	-3.34	0	8.9
C8	MSÚ	776.27	92.09	-2.03	0	-13.67
C8	MSÚ	537.01	-60.28	-0.02	0	8.97
C8	MSÚ	894.24	64.65	-1.1	0	-9.59
C8	MSÚ	525.31	-60.29	-1.07	0	8.96
C8	MSÚ	787.97	92.1	-0.99	0	-13.67
C8	MSÚ	638.86	14.31	-4.88	0	-2.11
C8	MSÚ	697.77	10.36	3.23	0	-1.52
C8	MSÚ	626.66	-58	-3.45	0	8.63
C8	MSÚ	686.62	89.81	1.4	-0.01	-13.33
C8	MSP	633.01	63.84	0.7	0	-9.48
C8	MSP	541.33	-35.97	-2.45	0	5.35
C8	MSP	641.07	64.15	-1.51	0	-9.52
C8	MSP	533.27	-36.27	-0.24	0	5.4
C8	MSP	687.74	44.59	-0.8	0	-6.61
C8	MSP	525.47	-36.28	-0.94	0	5.4
C8	MSP	648.87	64.16	-0.81	0	-9.52
C8	MSP	549.47	12.3	-3.41	0	-1.81
C8	MSP	640.45	10.81	1.93	0	-1.59
C8	MSP	541.33	-35.91	-2.46	0	5.35
C8	MSP	633.01	63.78	0.71	0	-9.47

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
C12	MSÚ	666.91	9.94	-105.27	-35.6	-1.45
C12	MSÚ	633.81	51.67	130.02	35.61	-7.6
C12	MSÚ	530.38	-34.43	128.09	35.6	5.09
C12	MSÚ	877.74	13.28	-55.38	-21.36	-1.93
C12	MSÚ	543.47	-35.51	127.2	35.6	5.26
C12	MSÚ	555.59	8.76	-107.09	-35.6	-1.27
C12	MSÚ	745.13	52.85	131.84	35.61	-7.78
C12	MSÚ	757.22	53.86	130.96	35.61	-7.93
C12	MSP	621.41	9.64	-65.96	-23.73	-1.41
C12	MSP	547.18	36.57	89.66	23.74	-5.38
C12	MSP	530.39	-19.94	89.61	23.74	2.95
C12	MSP	677.2	10.19	-35.64	-14.24	-1.48
C12	MSP	539.12	-20.67	89.02	23.74	3.07
C12	MSP	547.2	8.85	-67.17	-23.73	-1.29
C12	MSP	621.4	37.35	90.87	23.74	-5.5
C12	MSP	629.46	38.03	90.29	23.74	-5.6



Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
D1	MSÚ	343.21	-23.19	-14.95	-6.59	3.63
D1	MSÚ	356.49	-5.47	16.13	15.77	-2
D1	MSÚ	383.19	20.42	-10.67	-3.91	-10.45
D1	MSÚ	315.84	-24.99	-12.75	-5.13	4.75
D1	MSÚ	299.53	18.83	-9.46	-3.87	-8.63
D1	MSÚ	460.02	-15.33	-9.49	-0.84	-0.08
D1	MSÚ	360.11	-25.33	-12.87	-4.56	4.42
D1	MSÚ	338.92	20.77	-10.54	-4.48	-10.12
D1	MSÚ	386.94	-6.51	-15.61	-4.41	-1.76
D1	MSÚ	312.21	-5.16	16.29	15.17	-1.66
D1	MSÚ	316.5	8.97	-7.15	-1.41	-5.36
D1	MSÚ	387.78	-22.29	-13.02	-4.71	2.37
D1	MSP	328.87	-16.23	-10.25	-3.1	1.67
D1	MSP	308.2	-4.19	10.56	11.43	-1.86
D1	MSP	326	13.07	-7.31	-1.7	-7.5
D1	MSP	299.75	11.78	-6.59	-1.29	-6.5
D1	MSP	345.64	-10.42	-6.5	-0.2	-0.38
D1	MSP	310.62	-17.43	-8.78	-2.13	2.42
D1	MSP	328.5	-4.88	-10.6	-2.03	-1.7
D1	MSP	308.2	-4.21	10.58	11.4	-1.86
D1	MSP	311.06	5.21	-5.04	0.35	-4.32
D1	MSP	329.06	-15.4	-8.88	-2.23	1.05

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
D2	MSÚ	676.46	-7.72	-13.73	-5.9	1.17
D2	MSÚ	555.68	-7.72	3.01	0.48	0.83
D2	MSÚ	580.14	14.1	-6.97	-2.01	-3.46
D2	MSÚ	633.17	-23.16	-9.83	-2.96	4.58
D2	MSÚ	505.55	12.28	-6.76	-1.86	-2.15
D2	MSÚ	809.97	-16.67	-9.85	-3.44	2.6
D2	MSÚ	633.17	-23.24	-9.99	-2.97	4.57
D2	MSÚ	580.14	14.18	-6.81	-2	-3.46
D2	MSÚ	663.8	-8.34	-14.72	-5.39	1.23
D2	MSÚ	549.9	-7.7	3.15	0.47	0.84
D2	MSÚ	643.09	11.32	-5.2	-0.69	-2.09
D2	MSÚ	569.49	-8.39	-2.41	-3.14	1.2
D2	MSP	570.01	-6.49	-10.39	-4.41	1.04
D2	MSP	539.3	-7.05	0.25	-0.36	0.92
D2	MSP	555.61	7.5	-6.4	-2.02	-1.94
D2	MSP	541.15	-16.78	-7.79	-2.45	3.31
D2	MSP	505.88	6.29	-6.26	-1.92	-1.07
D2	MSP	608.55	-11.55	-7.59	-2.85	1.73
D2	MSP	541.15	-16.84	-7.9	-2.46	3.31
D2	MSP	555.61	7.56	-6.3	-2.02	-1.94
D2	MSP	561.57	-6.9	-11.05	-4.07	1.08
D2	MSP	535.45	-7.04	0.34	-0.37	0.93
D2	MSP	547.76	6.21	-4.7	-0.94	-1.14
D2	MSP	548.51	-7.5	-3.36	-2.77	1.17

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
D3	MSÚ	780.5	-5.24	7.87	4.67	1.01
D3	MSÚ	747.18	9.08	-6.19	-1.64	-1.59
D3	MSÚ	877.37	-18.54	-9.33	-2.59	4.74
D3	MSÚ	684.08	6.57	-6.53	-1.8	0.02
D3	MSÚ	1078.84	-12.75	-7.75	-2.04	2.8
D3	MSÚ	877.37	-18.54	-9.45	-2.63	4.74
D3	MSÚ	747.18	9.08	-6.07	-1.6	-1.58
D3	MSÚ	862.88	-6.47	-15.86	-6.04	1.5
D3	MSÚ	762.06	-6.12	9.28	4.41	1.11
D3	MSÚ	760.77	6.57	-3.48	0.27	-0.06
D3	MSÚ	863.78	-16.03	-12.04	-4.5	3.22
D3	MSP	748.67	-5.08	4.05	2.8	1.18
D3	MSP	726.46	4.47	-5.32	-1.4	-0.55
D3	MSP	745.9	-13.48	-7.06	-1.95	3.52
D3	MSP	684.39	2.79	-5.54	-1.51	0.52
D3	MSP	813.32	-9.48	-5.57	-1.46	2.3
D3	MSP	745.9	-13.48	-7.14	-1.97	3.51
D3	MSP	726.46	4.47	-5.24	-1.38	-0.55
D3	MSP	736.23	-5.43	-11.42	-4.25	1.36
D3	MSP	736.38	-5.66	5	2.63	1.25
D3	MSP	735.52	2.79	-3.51	-0.13	0.46
D3	MSP	736.83	-11.8	-8.87	-3.22	2.5

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
D4	MSÚ	577.52	3.32	-7.41	-1.49	-2.39
D4	MSÚ	825	2.56	10.42	5.39	-1.84
D4	MSÚ	797.54	4.37	-4.69	0.37	-3.1
D4	MSÚ	604.73	-2.21	-3.73	0.04	1.53
D4	MSÚ	543.39	-1.48	-4.58	-0.46	1.04
D4	MSÚ	968.88	2.95	-1.84	1.76	-2.13
D4	MSÚ	604.73	-2.21	-3.85	0	1.53
D4	MSÚ	797.54	4.37	-4.57	0.41	-3.1
D4	MSÚ	657.46	1.48	-8.69	-1.32	-1.19
D4	MSÚ	744.82	2.38	10.55	5.27	-1.71
D4	MSÚ	665.18	-1.83	-3.5	0.42	1.26
D4	MSÚ	736.96	2.58	8.62	4.08	-1.84
D4	MSP	566.21	2.62	-5.24	-0.72	-1.89
D4	MSP	568.43	3.21	-3.33	0.44	-2.28
D4	MSP	584.35	-1.06	-2.78	0.3	0.72
D4	MSP	543.46	-0.57	-3.35	-0.03	0.39
D4	MSP	623.1	2.06	-1.31	1.26	-1.49
D4	MSP	584.35	-1.06	-2.86	0.28	0.72
D4	MSP	568.43	3.21	-3.25	0.47	-2.28
D4	MSP	566.05	1.27	-6	-0.68	-1.01
D4	MSP	586.75	2	6.74	3.79	-1.44
D4	MSP	571.2	-0.93	-2.54	0.48	0.63
D4	MSP	581.5	2.13	5.45	3	-1.52

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
D5	MSÚ	980.71	-70.44	-12.62	-3.78	9.59
D5	MSÚ	747.55	32.09	7.16	2.47	-11.5
D5	MSÚ	845.24	158.25	-8.52	-2.21	-33
D5	MSÚ	874.54	-76.77	-9.97	-2.53	12.56
D5	MSÚ	667.69	148.35	-7.87	-2.07	-29.54
D5	MSÚ	1186.38	-15.35	-8.93	-2.11	-1.23
D5	MSÚ	737.56	-79.72	-10.2	-2.63	12.48
D5	MSÚ	982.22	161.21	-8.29	-2.1	-32.92
D5	MSÚ	982.04	46.6	-14.04	-3.6	-14.35
D5	MSÚ	739.7	32.12	7.25	2.46	-11.61
D5	MSÚ	876.55	33.26	6.43	1.99	-11.47
D5	MSÚ	837.58	155.13	-9.44	-2.71	-31.49
D5	MSP	721.58	-39.2	-9.35	-2.73	4.18
D5	MSP	723.58	32.4	3.44	1.35	-10.81
D5	MSP	722.27	113.26	-6.62	-1.68	-24.22
D5	MSP	717.24	-40.17	-7.98	-1.98	5.23
D5	MSP	670.34	109.91	-6.59	-1.68	-22.83
D5	MSP	797.66	-5.45	-6.4	-1.5	-2.35
D5	MSP	716.92	-42.14	-8.14	-2.05	5.18
D5	MSP	722.59	115.23	-6.47	-1.61	-24.16
D5	MSP	722.47	38.83	-10.3	-2.61	-11.78
D5	MSP	718.35	32.42	3.5	1.34	-10.88
D5	MSP	718.58	33.18	2.95	1.03	-10.79
D5	MSP	717.16	111.18	-7.23	-2.01	-23.21

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
D6	MSÚ	852.53	-88.47	-11.46	-3.34	11.01
D6	MSÚ	892.65	33.9	6.41	2.2	-11.78
D6	MSÚ	855.49	190.93	-8.51	-2.16	-36.49
D6	MSÚ	882.34	-96.01	-9.42	-2.32	14.3
D6	MSÚ	671.58	179.14	-7.83	-2.08	-32.61
D6	MSÚ	1200.58	-21.6	-8.42	-1.86	-1.02
D6	MSÚ	745.18	-100.3	-9.79	-2.51	14.23
D6	MSÚ	992.65	195.22	-8.14	-1.97	-36.42
D6	MSÚ	848.91	53.06	-13.05	-3.2	-15.52
D6	MSÚ	887.84	33.95	6.57	2.16	-11.82
D6	MSÚ	885.65	36.46	5.18	1.1	-11.87
D6	MSÚ	843.46	187.48	-7.74	-1.63	-34.9
D6	MSP	728.03	-50.06	-8.54	-2.42	4.97
D6	MSP	730.6	35.25	3	1.19	-11.22
D6	MSP	730	136.21	-6.58	-1.64	-26.7
D6	MSP	723.72	-51.36	-7.56	-1.82	6.17
D6	MSP	674.22	132.07	-6.5	-1.66	-25.11
D6	MSP	807.54	-8.82	-6	-1.29	-2.4
D6	MSP	723.28	-54.22	-7.81	-1.95	6.12
D6	MSP	730.44	139.06	-6.33	-1.51	-26.65
D6	MSP	725.62	44.29	-9.6	-2.33	-12.72
D6	MSP	727.39	35.28	3.1	1.16	-11.25
D6	MSP	725.93	36.96	2.17	0.46	-11.28
D6	MSP	721.99	133.9	-6.07	-1.28	-25.64

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
D7	MSÚ	1021.81	-92.45	-12.11	-3.47	11.14
D7	MSÚ	1006.15	178.16	-8.21	-2.13	-33.06
D7	MSÚ	769.33	-99.78	-8.94	-1.92	14.05
D7	MSÚ	679.74	168.51	-7.58	-1.96	-29.88
D7	MSÚ	1232.4	-30.43	-7.84	-1.54	0.24
D7	MSÚ	769.1	-102.17	-9.78	-2.42	14.03
D7	MSÚ	1006.38	180.54	-7.37	-1.64	-33.04
D7	MSÚ	1014.43	38.11	-13.57	-3.4	-12.74
D7	MSÚ	766.1	30.61	7.75	2.7	-11.05
D7	MSÚ	902.29	32.03	7.09	2.34	-11.09
D7	MSÚ	878.25	36.69	-12.9	-3.04	-12.7
D7	MSP	752.81	-53.85	-8.91	-2.48	5.28
D7	MSP	742.37	126.55	-6.31	-1.59	-24.18
D7	MSP	743.53	-55.49	-7.15	-1.51	6.32
D7	MSP	683.69	124.36	-6.39	-1.63	-22.98
D7	MSP	836.41	-18	-5.44	-0.98	-1.11
D7	MSP	743.38	-57.08	-7.71	-1.85	6.31
D7	MSP	742.52	128.14	-5.75	-1.25	-24.17
D7	MSP	747.89	33.18	-9.89	-2.43	-10.64
D7	MSP	741.38	31.44	3.98	1.57	-10.41
D7	MSP	741.17	32.38	3.53	1.33	-10.44
D7	MSP	748.1	32.24	-9.44	-2.19	-10.61

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
D8	MSÚ	704.4	-65.4	-11.2	-4.18	13.87
D8	MSÚ	769.84	11.36	4.45	1.26	-2.1
D8	MSÚ	709.12	88.09	-7.7	-2.6	-12.99
D8	MSÚ	760.15	-67.09	-9.53	-3.22	14.51
D8	MSÚ	561.63	86.02	-7.11	-2.45	-12.66
D8	MSÚ	1019.2	-32.14	-8.7	-2.89	8.56
D8	MSÚ	623.6	-68.93	-9.34	-3.1	14.4
D8	MSÚ	845.66	89.94	-7.88	-2.72	-12.87
D8	MSÚ	700.79	13.94	-11.58	-3.54	-2.31
D8	MSÚ	765.26	11.56	4.49	1.2	-2.16
D8	MSÚ	772.76	-34.16	-8.57	-3.01	7.93
D8	MSÚ	734.49	11.63	3.98	0.84	-1.87
D8	MSP	602.52	-41.39	-8.37	-3.08	9.18
D8	MSP	701.76	10.71	1.69	0.42	-1.49
D8	MSP	605.66	60.93	-6.03	-2.03	-8.72
D8	MSP	695.3	-41.59	-7.63	-2.57	9.58
D8	MSP	562.96	60.48	-6.01	-2.06	-8.53
D8	MSP	775.03	-20.3	-6.11	-2	5.69
D8	MSP	604.27	-42.82	-7.5	-2.49	9.51
D8	MSP	696.69	62.16	-6.15	-2.11	-8.65
D8	MSP	600.11	11.5	-8.62	-2.66	-1.6
D8	MSP	698.71	10.84	1.72	0.38	-1.53
D8	MSP	648.09	-20.57	-6.61	-2.31	5.22
D8	MSP	678.2	10.88	1.38	0.14	-1.34



Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
D9	MSÚ	1025.47	-109.47	-12.8	-4.03	12.79
D9	MSÚ	894.59	218.4	-8.02	-2.15	-39.44
D9	MSÚ	893.99	-117.23	-10.23	-2.83	16.09
D9	MSÚ	682.46	208.29	-7.19	-1.84	-35.26
D9	MSÚ	1242.14	-32.65	-9.03	-2.41	-0.81
D9	MSÚ	757.86	-122.25	-10.43	-2.91	16.06
D9	MSÚ	1030.73	223.43	-7.82	-2.07	-39.4
D9	MSÚ	1014.19	60.11	-13.38	-3.41	-17.75
D9	MSÚ	775.88	50.72	7.72	2.6	-14.59
D9	MSÚ	961.52	56.79	6.38	1.99	-15.87
D9	MSÚ	828.55	54.04	-12.05	-2.8	-16.47
D9	MSP	846.98	-62.92	-9.34	-2.85	5.96
D9	MSP	759.72	155.66	-6.15	-1.59	-28.86
D9	MSP	827.67	-63.89	-7.96	-2.12	7.08
D9	MSP	686.64	153.13	-5.94	-1.46	-27.15
D9	MSP	936.56	-16.94	-6.47	-1.74	-1.63
D9	MSP	736.91	-67.24	-8.1	-2.17	7.06
D9	MSP	850.48	159.01	-6.02	-1.54	-28.84
D9	MSP	839.45	50.13	-9.73	-2.43	-14.4
D9	MSP	748.92	48.08	4	1.5	-13.37
D9	MSP	872.69	52.13	3.11	1.09	-14.22
D9	MSP	715.69	46.08	-8.84	-2.03	-13.55

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
D10	MSÚ	871.26	-107.62	-12.2	-3.95	12.75
D10	MSÚ	956.27	54.19	6.92	2.3	-15.36
D10	MSÚ	913.6	212.77	-8.24	-2.35	-38.78
D10	MSÚ	903.55	-114.23	-10.18	-2.83	15.51
D10	MSÚ	697.82	202.39	-7.76	-2.37	-34.61
D10	MSÚ	1258.45	-31.08	-8.67	-2.12	-1.13
D10	MSÚ	767.4	-118.76	-10.49	-2.99	15.48
D10	MSÚ	1049.76	217.3	-7.93	-2.19	-38.75
D10	MSÚ	890.29	61.8	-12.92	-3.3	-18.48
D10	MSÚ	926.13	52.74	6.98	2.2	-14.75
D10	MSÚ	912.5	207.17	-7.92	-2.57	-35.45
D10	MSÚ	904.66	-108.63	-10.5	-2.6	12.18
D10	MSP	747.32	-61.8	-8.96	-2.82	5.93
D10	MSP	873.65	50.23	3.44	1.27	-13.87
D10	MSP	775.55	151.78	-6.32	-1.76	-28.41
D10	MSP	838.51	-62.05	-7.96	-2.15	6.71
D10	MSP	701.36	149.03	-6.35	-1.85	-26.71
D10	MSP	948.77	-15.91	-6.02	-1.42	-1.84
D10	MSP	747.74	-65.07	-8.17	-2.26	6.69
D10	MSP	866.32	154.8	-6.12	-1.65	-28.39
D10	MSP	760.01	51.14	-9.44	-2.39	-14.88
D10	MSP	853.56	49.26	3.48	1.2	-13.47
D10	MSP	844.47	152.21	-6.46	-1.98	-27.27
D10	MSP	769.59	-62.48	-7.83	-1.92	5.56

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
D11	MSÚ	995.21	-99.57	-13.24	-4.41	12.72
D11	MSÚ	994.27	195.54	-8.71	-2.74	-36.29
D11	MSÚ	748.61	-109.24	-10.24	-2.87	15.81
D11	MSÚ	678.14	182.84	-7.85	-2.37	-32.72
D11	MSÚ	1200.2	-29.53	-9.13	-2.57	0.36
D11	MSÚ	748.54	-110.97	-10.8	-3.19	15.8
D11	MSÚ	994.34	197.27	-8.15	-2.42	-36.29
D11	MSÚ	985.41	56.08	-13.79	-3.82	-17.13
D11	MSÚ	756.37	53.93	7.48	2.35	-14.75
D11	MSÚ	837.27	186.43	-7.02	-1.88	-32.36
D11	MSÚ	895.81	55.53	-12.49	-3.14	-17.98
D11	MSP	825.03	-57.41	-9.7	-3.17	6.17
D11	MSP	824.41	139.33	-6.68	-2.06	-26.51
D11	MSP	728.24	-60.1	-8.07	-2.24	7.26
D11	MSP	681.26	134.62	-6.47	-1.91	-25.09
D11	MSP	907.9	-15.26	-6.57	-1.89	-0.75
D11	MSP	728.19	-61.25	-8.44	-2.45	7.26
D11	MSP	824.46	140.48	-6.3	-1.84	-26.5
D11	MSP	818.5	46.36	-10.07	-2.77	-13.73
D11	MSP	733.41	48.68	3.74	1.24	-13.11
D11	MSP	787.35	137.01	-5.92	-1.58	-24.85
D11	MSP	758.77	45.99	-9.2	-2.32	-14.29

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
D12	MSÚ	513.39	11.51	3.33	-4.44	-2.41
D12	MSÚ	735.74	10.17	22.76	6.68	0.23
D12	MSÚ	513.13	42.24	9.89	4.43	-3.1
D12	MSÚ	736.22	-35.2	10.26	4.43	7.32
D12	MSÚ	499.72	42.36	10.33	4.64	-3.03
D12	MSÚ	850.66	-17.39	13.72	3.59	5.23
D12	MSÚ	526.06	-37.22	7.41	3.61	7.08
D12	MSÚ	723.29	44.27	12.74	5.25	-2.86
D12	MSÚ	508.97	11.39	3.3	-4.39	-2.33
D12	MSÚ	740.15	10.29	22.8	6.62	0.15
D12	MSÚ	636.4	12.68	4.79	-3.52	-2.33
D12	MSÚ	613.2	-36.11	9.11	3.7	7.19
D12	MSP	508.94	9.47	5.88	-2.63	-1.26
D12	MSP	608	8.04	17.76	4.69	0.39
D12	MSP	508.76	29.96	10.26	3.29	-1.72
D12	MSP	608.32	-22.21	9.42	3.19	5.12
D12	MSP	499.83	30.03	10.55	3.43	-1.68
D12	MSP	656.09	-10.82	10.49	2.66	3.61
D12	MSP	517.38	-23.02	8.6	2.74	5.06
D12	MSP	599.7	30.77	11.07	3.74	-1.67
D12	MSP	506	9.39	5.86	-2.59	-1.21
D12	MSP	610.95	8.12	17.78	4.65	0.34
D12	MSP	590.95	10.25	6.85	-2.02	-1.21
D12	MSP	526.31	-22.81	8.65	2.7	5.03

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
E1	MSÚ	1209.43	-20.79	4.44	-1.57	-1.53
E1	MSÚ	1286.56	-13.85	25.17	20.44	-0.44
E1	MSÚ	1264.59	-8.46	16.49	11.34	-3.14
E1	MSÚ	1249.72	-13.78	8.34	4.05	0.14
E1	MSÚ	1059.8	-21.29	4.73	-1.34	-1.09
E1	MSÚ	1654.57	-4.28	16.11	9.2	-2.72
E1	MSÚ	1395.48	-23.5	7.46	0.52	-1
E1	MSÚ	1104.82	4.32	8.39	2.64	-2.45
E1	MSÚ	1222.03	-20.95	4.43	-1.57	-1.46
E1	MSÚ	1273.96	-13.69	25.17	20.43	-0.51
E1	MSÚ	1232.21	-12.78	21.91	18.18	0.01
E1	MSÚ	1263.78	-21.86	7.7	0.69	-1.97
E1	MSP	1069.47	-16.67	7.5	2.08	-1.57
E1	MSP	1107.4	-11.21	19.98	15.83	-0.68
E1	MSP	1092.76	-7.62	14.19	9.77	-2.48
E1	MSP	1096.33	-12	10.1	5.83	-0.46
E1	MSP	1060.47	-17.11	7.7	2.22	-1.25
E1	MSP	1137.77	-3.79	12.27	7.2	-1.93
E1	MSP	1089.01	-17.65	8.17	2.56	-1.05
E1	MSP	1090.73	0.07	10.13	4.89	-2.19
E1	MSP	1077.87	-16.78	7.5	2.09	-1.53
E1	MSP	1099	-11.11	19.98	15.83	-0.73
E1	MSP	1084.65	-11.33	19.15	15.25	-0.55
E1	MSP	1092.22	-16.55	8.33	2.66	-1.71

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
E2	MSÚ	777.82	-14.2	-0.84	-1.05	-1.39
E2	MSÚ	1018.33	-13.09	1.85	1.49	-3.35
E2	MSÚ	1044.38	6.74	1.07	0.75	-7.36
E2	MSÚ	744.12	-18.09	0.74	-0.24	0.83
E2	MSÚ	728.98	-17.31	0.58	0.48	-2.87
E2	MSÚ	1204.43	-2.38	0.74	0.44	-6.76
E2	MSÚ	1019.31	-23.99	0.57	0.53	-3.18
E2	MSÚ	766.62	8.64	0.6	0.46	-6.81
E2	MSÚ	776.55	-11.73	-1.47	-0.73	-2.69
E2	MSÚ	1019.61	-15.56	2.48	1.18	-2.05
E2	MSÚ	794.38	-21.65	0.64	0.6	-3.24
E2	MSÚ	995.62	-0.39	0.25	0.14	-5.86
E2	MSP	763	-12.88	-0.37	-0.59	-1.92
E2	MSP	760.22	-11.13	1.37	1.07	-2.93
E2	MSP	777.59	2.09	0.85	0.58	-5.61
E2	MSP	740.53	-15.48	0.69	-0.05	-0.44
E2	MSP	730.44	-14.95	0.58	0.43	-2.91
E2	MSP	804	-2.71	0.54	0.32	-4.83
E2	MSP	760.88	-18.4	0.52	0.43	-2.82
E2	MSP	755.53	2.35	0.59	0.41	-5.53
E2	MSP	762.15	-11.24	-0.79	-0.38	-2.79
E2	MSP	761.08	-12.78	1.79	0.86	-2.06
E2	MSP	774.04	-17.85	0.62	0.51	-3.15
E2	MSP	745.08	-2.67	0.3	0.17	-4.61

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
E3	MSÚ	659.42	-12.88	11.99	21.7	1.07
E3	MSÚ	1026.08	-10.04	22.01	39.83	-2.13
E3	MSÚ	918.35	8.06	16.37	29.56	-6.62
E3	MSÚ	640.83	-13.62	12.89	22.24	1.62
E3	MSÚ	630.29	-16.88	16.2	29.43	-0.31
E3	MSÚ	1055.36	0.59	19.09	35.16	-5.36
E3	MSÚ	733.18	-18.5	17.78	32.83	-0.21
E3	MSÚ	825.18	8.99	14.27	25.74	-6.33
E3	MSÚ	804.45	-12.63	11.94	22.13	0.91
E3	MSÚ	881.05	-10.3	22.06	39.4	-1.97
E3	MSÚ	895.59	-17.62	18.46	34.07	-0.83
E3	MSÚ	662.77	8.11	13.59	24.5	-5.72
E3	MSP	650.16	-10.7	12.73	23.12	0.06
E3	MSP	656.2	-8.36	16.51	30.28	-1.09
E3	MSP	669.67	3.88	14.25	25.81	-4.88
E3	MSP	637.77	-11.19	13.33	23.48	0.43
E3	MSP	630.73	-13.2	15.52	28.53	-0.94
E3	MSP	691.03	-0.48	14.26	25.98	-3.7
E3	MSP	637.22	-13.82	15.19	27.98	-0.6
E3	MSP	655.85	-10.53	12.69	23.4	-0.05
E3	MSP	654.39	-7.32	16.58	29.24	-1.64
E3	MSP	654.5	-13.23	15.64	28.81	-1.01
E3	MSP	652.4	3.3	13.79	24.98	-4.47

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
E5	MSÚ	855.38	-9.18	-9.75	-4.14	-1.05
E5	MSÚ	772.58	78.12	-5.75	-1.68	-17.91
E5	MSÚ	775.05	-35.5	-6.08	-1.72	5.36
E5	MSÚ	598.31	-35.4	-5.21	-1.41	4.21
E5	MSÚ	1070.67	24.68	-3.24	-1.13	-7.99
E5	MSÚ	704.51	-35.58	-7.77	-2.83	4.96
E5	MSÚ	843.12	78.19	-4.06	-0.57	-17.52
E5	MSÚ	827.28	23.1	-10.17	-3.74	-7.33
E5	MSÚ	723	14.48	3.29	1.74	-5.23
E5	MSÚ	766.22	16.17	2.83	2.16	-5.15
E5	MSP	711.33	-2.13	-7.15	-2.94	-1.97
E5	MSP	656.13	56.07	-4.48	-1.3	-13.22
E5	MSP	716.8	-18	-4.97	-1.4	1.76
E5	MSP	598.98	-17.94	-4.39	-1.19	1
E5	MSP	816.46	18.35	-2.14	-0.59	-5.77
E5	MSP	669.77	-18.06	-6.1	-2.14	1.5
E5	MSP	703.15	56.12	-3.36	-0.56	-12.95
E5	MSP	692.59	19.39	-7.43	-2.67	-6.16
E5	MSP	682.1	15.32	1.27	0.91	-5.3
E5	MSP	710.92	16.44	0.97	1.18	-5.24



Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
E6	MSÚ	898.72	-12.52	-15.83	-6.5	-1.14
E6	MSÚ	798.01	94.58	-6.68	-2	-20.23
E6	MSÚ	800.76	-43.8	-6.07	-1.73	5.6
E6	MSÚ	617.95	-44.28	-5.52	-1.54	4.52
E6	MSÚ	1106.13	32.59	-7.01	-1.89	-9.87
E6	MSÚ	623.57	-44.28	-5.68	-1.6	4.5
E6	MSÚ	975.21	95.06	-7.07	-2.14	-19.13
E6	MSÚ	898.72	-12.51	-15.87	-6.49	-1.14
E6	MSÚ	780	19.17	7.34	3.63	-6.28
E6	MSÚ	780	19.19	7.32	3.63	-6.28
E6	MSP	744.67	-3.65	-11.22	-4.51	-2.22
E6	MSP	677.54	67.76	-5.11	-1.52	-14.95
E6	MSP	740.26	-22.53	-4.99	-1.42	1.66
E6	MSP	618.39	-22.85	-4.62	-1.29	0.94
E6	MSP	846.08	24.05	-6.17	-1.91	-7.12
E6	MSP	622.13	-22.85	-4.72	-1.33	0.93
E6	MSP	795.67	68.08	-5.38	-1.61	-14.22
E6	MSP	744.67	-3.64	-11.24	-4.51	-2.23
E6	MSP	726.42	19.45	3.96	2.16	-6.26
E6	MSP	726.42	19.46	3.94	2.16	-6.26

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
E7	MSÚ	627.71	81.55	-3.58	-1.2	-15.23
E7	MSÚ	677.19	85.86	-1.3	0.29	-17.34
E7	MSÚ	689.15	-44.11	-0.76	0.81	5.04
E7	MSÚ	537.2	-43.95	-1.61	0.22	4.04
E7	MSÚ	937.56	63.92	0.87	1.43	-13.64
E7	MSÚ	542.01	-44.82	-1.8	0.16	4.15
E7	MSÚ	824.34	86.58	-0.25	0.95	-16.45
E7	MSÚ	624.05	-42.59	-3.74	-1.1	3.56
E7	MSÚ	740.47	17.44	7.67	3.75	-6.29
E7	MSÚ	789.49	19.29	7.53	4.29	-6.2
E7	MSP	598.15	60.06	-1.99	-0.47	-11.93
E7	MSP	578.13	61.26	-0.58	0.43	-12.81
E7	MSP	639.11	-23.71	-0.1	0.88	1.59
E7	MSP	537.81	-23.61	-0.67	0.48	0.91
E7	MSP	722.7	44.68	1.29	1.44	-9.56
E7	MSP	541.01	-24.19	-0.8	0.44	0.99
E7	MSP	676.23	61.73	0.12	0.86	-12.22
E7	MSP	595.71	-22.7	-2.09	-0.4	0.6
E7	MSP	620.32	15.64	5.4	2.74	-5.45
E7	MSP	653	16.87	5.3	3.1	-5.39

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
E8	MSÚ	933.15	11.74	-11.51	-5.94	0
E8	MSÚ	731.45	85.86	-1.34	-1.09	-12.21
E8	MSÚ	913.77	-64	-0.72	-1.21	13.13
E8	MSÚ	668.01	-65.85	0.68	-0.3	12.12
E8	MSÚ	1112.22	59.58	-3.9	-2.59	-6.61
E8	MSÚ	668.01	-65.85	0.7	-0.3	12.12
E8	MSÚ	977.21	87.71	-2.77	-2	-11.2
E8	MSÚ	884.98	11.34	-11.51	-5.37	-0.44
E8	MSÚ	759.51	9.13	4.03	0.87	-0.61
E8	MSÚ	758.76	-64.44	3.8	1.45	12.02
E8	MSP	779.3	9.86	-8.31	-4.36	0.05
E8	MSP	710.6	60.13	-1.81	-1.29	-8.07
E8	MSP	766.37	-40.63	-1.12	-1.2	8.8
E8	MSP	668.31	-41.02	-0.46	-0.76	8.15
E8	MSP	851.62	40.93	-3.67	-2.35	-4.31
E8	MSP	668.31	-41.02	-0.44	-0.76	8.15
E8	MSP	808.67	60.51	-2.49	-1.73	-7.42
E8	MSP	747.18	9.59	-8.32	-3.97	-0.24
E8	MSP	729.31	8.97	1.78	0.02	-0.33
E8	MSP	728.81	-40.08	1.62	0.41	8.09

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
E9	MSÚ	720.53	23.97	-6.34	-2.62	-6.33
E9	MSÚ	721.35	105.59	2.46	1.42	-20.25
E9	MSÚ	749.59	-54.32	4.46	2.16	6.75
E9	MSÚ	1018.75	80.11	2.51	1.49	-15.8
E9	MSÚ	565.79	-55.15	4.08	2.02	5.69
E9	MSÚ	905.15	106.42	2.85	1.56	-19.19
E9	MSÚ	690.59	23.77	-6.99	-2.43	-6.6
E9	MSÚ	829.72	27.25	9.36	4.69	-7.22
E9	MSÚ	827.18	-18.26	9.18	5.06	-0.18
E9	MSP	670.47	23.06	-3.93	-1.51	-6.18
E9	MSP	614.93	75.38	1.85	1.11	-14.88
E9	MSP	689.84	-29.14	3.27	1.68	2.53
E9	MSP	783.08	55.91	2.47	1.46	-11.05
E9	MSP	567.3	-29.69	3.02	1.59	1.83
E9	MSP	737.46	75.94	2.11	1.21	-14.18
E9	MSP	650.5	22.92	-4.36	-1.39	-6.36
E9	MSP	687.18	23.16	6.45	3.3	-6.19
E9	MSP	685.49	-7.18	6.33	3.54	-1.5

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
E10	MSÚ	752	24.86	-7.63	-3.46	-6.84
E10	MSÚ	750.94	103.75	0.87	0.63	-20.64
E10	MSÚ	767.75	-52.2	3.29	1.55	6.13
E10	MSÚ	594.49	-52.95	2.46	1.25	5.03
E10	MSÚ	1043.66	79.22	1.13	0.74	-16.31
E10	MSÚ	606.15	-53	2.21	0.99	5.22
E10	MSÚ	912.54	104.55	1.96	1.19	-19.72
E10	MSÚ	796.09	27.97	-7.8	-2.92	-8.05
E10	MSÚ	721.9	25.24	7.43	3.21	-7.07
E10	MSÚ	837.68	-16.83	7.04	3.96	-0.81
E10	MSP	700.93	23.81	-5.26	-2.3	-6.68
E10	MSP	641.34	74.27	0.46	0.42	-15.25
E10	MSP	711.43	-27.56	2.02	1.04	1.97
E10	MSP	595.92	-28.07	1.47	0.84	1.23
E10	MSP	798.54	55.33	0.18	0.17	-11.43
E10	MSP	603.7	-28.1	1.3	0.67	1.36
E10	MSP	749.08	74.8	1.18	0.8	-14.64
E10	MSP	671.44	23.74	-5.32	-1.94	-6.86
E10	MSP	680.87	24.06	4.78	2.15	-6.84
E10	MSP	699.17	-6.12	4.57	2.64	-2.03

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
E11	MSÚ	763.07	22.78	-4.3	-2.05	-6.39
E11	MSÚ	781.85	94.62	5.08	2.14	-19.61
E11	MSÚ	774.94	-48.53	6.81	2.83	6.21
E11	MSÚ	613.04	-49.07	6.32	2.65	5.06
E11	MSÚ	1067.64	72.05	5.26	2.23	-15.34
E11	MSÚ	638.78	-49.26	6.54	2.73	5.42
E11	MSÚ	918.01	95.35	5.35	2.24	-18.82
E11	MSÚ	733.76	22.8	-5.25	-1.96	-6.7
E11	MSÚ	822.34	-44	10.64	5.05	3.75
E11	MSÚ	867.13	-16.2	10.55	5.34	-0.49
E11	MSP	713.77	21.82	-2	-0.98	-6.25
E11	MSP	665.8	67.76	4	1.7	-14.47
E11	MSP	721.68	-25.72	5.41	2.27	2.15
E11	MSP	613.75	-26.08	5.08	2.15	1.38
E11	MSP	812.07	50.31	4.48	2	-10.73
E11	MSP	630.91	-26.2	5.23	2.2	1.62
E11	MSP	756.57	68.24	4.18	1.76	-13.95
E11	MSP	694.23	21.84	-2.63	-0.92	-6.46
E11	MSP	692.79	-24.65	7.71	3.64	1.1
E11	MSP	722.65	-6.12	7.64	3.83	-1.73

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
E12	MSÚ	610.81	10.79	-70.88	-32.72	-1.89
E12	MSÚ	817.58	-33.33	81.63	35.59	6.15
E12	MSÚ	609.73	-35.57	84	35.58	5.77
E12	MSÚ	942.74	33.57	41.18	17.09	-2.73
E12	MSÚ	621.33	-35.62	83.45	35.58	5.95
E12	MSÚ	807.76	47.04	66.37	28.47	-4.72
E12	MSÚ	728.54	11.13	-74	-32.72	-1.32
E12	MSÚ	699.85	-33.67	84.75	35.58	5.57
E12	MSÚ	738.12	46.4	68.08	28.47	-5.2
E12	MSÚ	690.97	-34.98	81.74	35.58	6.43
E12	MSP	610.79	9.51	-45.79	-21.81	-1.28
E12	MSP	688.58	-20.59	55.45	23.73	4.09
E12	MSP	610.08	-21.4	57.47	23.72	3.83
E12	MSP	709.46	23.15	27.39	11.4	-1.7
E12	MSP	617.81	-21.43	57.1	23.72	3.95
E12	MSP	682.03	32.99	45.28	18.98	-3.16
E12	MSP	689.28	9.73	-47.87	-21.81	-0.89
E12	MSP	610.1	-20.81	57.54	23.72	3.7
E12	MSP	635.61	32.56	46.42	18.98	-3.48
E12	MSP	664.23	-21.01	55.96	23.72	4.27

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
F1	MSÚ	747.06	-7.92	25.77	-122.37	-5.32
F1	MSÚ	605.26	4.83	31.71	-38.28	-13.13
F1	MSÚ	473.65	4.92	31.18	-40.66	-13.15
F1	MSÚ	878.67	-8	26.31	-119.99	-5.3
F1	MSÚ	737.42	-58.6	21.94	-94.29	13.05
F1	MSÚ	536.79	42.53	21.94	-80.36	-14.09
F1	MSÚ	562.63	-6.64	13.88	-104.95	-5.66
F1	MSÚ	821.83	-0.63	37.03	-79.55	-9.84
F1	MSÚ	613.29	41.55	25.19	-91.25	-14.37
F1	MSÚ	660.92	-57.62	18.69	-83.4	13.33
F1	MSP	560.44	-5.73	17.32	-96.56	-4.78
F1	MSP	484.96	1.24	28.5	-50.03	-9.37
F1	MSP	484.93	1.16	28.49	-50.04	-9.36
F1	MSP	560.46	-5.64	17.33	-96.54	-4.79
F1	MSP	522.19	-40.46	19.81	-80.14	8.27
F1	MSP	530.31	26.37	21.98	-78.08	-10.01
F1	MSP	547.53	-6.41	16.61	-94.47	-4.39
F1	MSP	497.86	1.92	29.21	-52.11	-9.76
F1	MSP	530.44	26.3	21.98	-78.11	-10.01
F1	MSP	522.07	-40.39	19.81	-80.11	8.27



Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
F2	MSÚ	826.68	72.66	4.66	19.71	-28.23
F2	MSÚ	819.69	-88.94	1.43	12.54	23.89
F2	MSÚ	647.03	6.63	28.16	76.85	-19.14
F2	MSÚ	1121.99	-3.93	-5.83	-3.26	-11.76
F2	MSÚ	921.15	-90.08	2.06	15.28	23.34
F2	MSÚ	725.22	73.8	4.03	16.98	-27.67
F2	MSÚ	738.66	-0.41	-17.68	-35.16	-13.25
F2	MSÚ	905.99	7.06	30.53	84.08	-20.48
F2	MSÚ	723.34	72.62	5.13	19.42	-27.42
F2	MSÚ	923.03	-88.89	0.97	12.84	23.08
F2	MSP	712.67	46.89	4.16	17.61	-19.7
F2	MSP	684.61	-61.49	2.44	14.7	14.68
F2	MSP	660.51	2.22	20.26	57.58	-14.01
F2	MSP	738.82	-2.51	-3.43	0.01	-8.77
F2	MSP	684.65	-61.61	2.42	14.66	14.68
F2	MSP	712.63	47	4.17	17.66	-19.7
F2	MSP	721.59	-2.47	-10.3	-17.1	-10.08
F2	MSP	674.55	3.16	21.4	60.53	-14.54
F2	MSP	711.38	46.21	4.91	19.29	-19.53
F2	MSP	685.9	-60.81	1.69	13.03	14.51

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
F3	MSÚ	627.06	4.44	-4.93	26.7	-10.31
F3	MSÚ	798.64	9.65	36.05	128.01	-17.02
F3	MSÚ	728.14	53.3	14.89	78.61	-25.79
F3	MSÚ	710.73	-63.23	14.02	70.26	26.81
F3	MSÚ	536.44	9.37	30.43	108.03	-16.03
F3	MSÚ	992.25	1.13	10.17	76.06	-8.25
F3	MSÚ	797.45	-63.69	15.84	80.04	26.54
F3	MSÚ	641.42	53.75	13.07	68.83	-25.52
F3	MSÚ	626.41	4.1	-4.93	26.71	-10.22
F3	MSÚ	799.29	9.99	36.06	128	-17.1
F3	MSÚ	619.19	52.56	12.18	64.16	-24.63
F3	MSÚ	819.68	-62.49	16.73	84.71	25.64
F3	MSP	613.81	1.99	0.88	40	-7.47
F3	MSP	579.45	5.75	26.97	100.99	-11.77
F3	MSP	623.45	34.85	12.87	68.06	-17.62
F3	MSP	578.6	-43.12	13.51	69.04	17.27
F3	MSP	553.41	5.28	24.46	94.22	-11.29
F3	MSP	639.86	2.46	3.4	46.77	-7.95
F3	MSP	578.66	-43.14	13.5	69.01	17.27
F3	MSP	623.39	34.87	12.88	68.09	-17.61
F3	MSP	613.39	1.77	0.88	40	-7.41
F3	MSP	579.88	5.98	26.98	100.99	-11.82
F3	MSP	608.57	34.07	12.29	64.97	-17.02
F3	MSP	593.48	-42.34	14.09	72.13	16.67

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
F5	MSÚ	1122.14	35.23	-25.38	-51.13	-14
F5	MSÚ	721.33	27.8	-8.26	-20.94	-12.84
F5	MSÚ	845.83	88.72	-16.69	-37.18	-25.27
F5	MSÚ	857.22	-35.15	-13.96	-30.65	12.26
F5	MSÚ	695.95	-35.77	-10.62	-24.34	11.84
F5	MSÚ	1146.8	70.46	-22.45	-48.3	-20.05
F5	MSÚ	696.08	-36.28	-10.68	-24.45	12.04
F5	MSÚ	1006.96	89.85	-19.98	-43.38	-25.05
F5	MSÚ	1047.48	34.04	-26.3	-50.6	-13.73
F5	MSÚ	795.99	28.99	-7.34	-21.48	-13.12
F5	MSÚ	696.07	-36.03	-10.45	-24.26	11.95
F5	MSÚ	1006.98	89.6	-20.21	-43.57	-24.96
F5	MSP	817.9	25.76	-19.44	-38.87	-11.44
F5	MSP	714.79	26.14	-10.16	-23.81	-10.89
F5	MSP	728.79	64.51	-14.41	-31.73	-18.49
F5	MSP	805.39	-15.83	-13.96	-30.28	5.84
F5	MSP	697.87	-16.25	-11.73	-26.08	5.56
F5	MSP	862.12	49.5	-16.08	-35.31	-14.04
F5	MSP	697.96	-16.59	-11.77	-26.15	5.69
F5	MSP	836.21	65.26	-16.6	-35.86	-18.35
F5	MSP	768.12	24.97	-20.06	-38.51	-11.25
F5	MSP	764.57	26.93	-9.54	-24.17	-11.08
F5	MSP	697.95	-16.42	-11.61	-26.02	5.63
F5	MSP	836.23	65.09	-16.75	-35.99	-18.29

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
F6	MSÚ	960.92	36.75	5.04	3.24	-13.8
F6	MSÚ	857.07	104.79	2.71	1.55	-27.17
F6	MSÚ	890.88	-42.97	2.99	1.67	12.34
F6	MSÚ	713.7	-43.99	2.69	1.51	11.86
F6	MSÚ	1177.05	82.77	2.97	1.7	-21.7
F6	MSÚ	721.88	-44.64	2.76	1.55	12.12
F6	MSÚ	1026.07	106.46	2.94	1.67	-26.95
F6	MSÚ	848.78	27.32	-1.84	-1.42	-11.07
F6	MSÚ	958.21	-8.26	5.24	3.22	1.75
F6	MSÚ	717.22	-43.34	2.78	1.56	11.54
F6	MSÚ	1030.73	105.16	2.93	1.66	-26.37
F6	MSP	809.61	30.59	3.69	2.35	-11.01
F6	MSP	740.38	75.94	2.14	1.22	-19.92
F6	MSP	833.64	-20.02	2.46	1.38	5.66
F6	MSP	715.52	-20.7	2.26	1.27	5.34
F6	MSP	885.63	58.08	1.82	1.01	-15.2
F6	MSP	720.97	-21.13	2.31	1.3	5.52
F6	MSP	853.05	77.06	2.29	1.3	-19.77
F6	MSP	805.57	26.84	-0.76	-0.68	-9.95
F6	MSP	807.81	0.57	3.82	2.33	-0.64
F6	MSP	717.87	-20.27	2.32	1.31	5.13
F6	MSP	856.16	76.19	2.28	1.3	-19.39

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
F7	MSÚ	794.66	96.49	2.61	1.41	-24.24
F7	MSÚ	809.22	-42.83	3.96	2.21	11.83
F7	MSÚ	677.02	-42.15	2.89	1.54	10.81
F7	MSÚ	1063.53	73.91	3.55	2.01	-18.71
F7	MSÚ	679.57	-44.51	2.85	1.51	11.64
F7	MSÚ	924.32	98.17	3.71	2.11	-24.05
F7	MSÚ	735.49	25.13	-1.48	-1.25	-12.75
F7	MSÚ	902.35	-10.94	6.2	3.76	2.52
F7	MSÚ	879.84	96.15	5.07	3.02	-23.82
F7	MSÚ	724.05	-42.49	1.49	0.6	11.41
F7	MSP	689.39	69.84	2.06	1.12	-17.77
F7	MSP	765.89	-20.73	3.1	1.72	5.61
F7	MSP	677.75	-20.28	2.39	1.28	4.93
F7	MSP	802.82	51.93	3.07	1.78	-13.12
F7	MSP	679.45	-21.85	2.36	1.26	5.48
F7	MSP	775.83	70.96	2.8	1.58	-17.64
F7	MSP	716.73	24.57	-0.53	-0.59	-10.78
F7	MSP	761.18	-1.78	4.46	2.68	0.07
F7	MSP	746.17	69.62	3.71	2.19	-17.49
F7	MSP	709.1	-20.51	1.46	0.65	5.33

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
F8	MSÚ	1008.31	97.96	-2.17	-1.82	-19.26
F8	MSÚ	963.22	-64.41	-2.43	-2.12	20.13
F8	MSÚ	834.19	-65.24	-1.6	-1.53	19.53
F8	MSÚ	1305.19	70.43	-3.6	-2.8	-12.18
F8	MSÚ	834.4	-65.87	-1.66	-1.56	19.79
F8	MSÚ	1137.12	99.42	-2.94	-2.38	-18.92
F8	MSÚ	1090.4	20.81	-6.78	-4.83	-5.3
F8	MSÚ	914.42	20.86	0.5	0.25	-8.01
F8	MSÚ	1097.67	97.44	-2.98	-2.39	-18.15
F8	MSÚ	873.86	-63.89	-1.62	-1.56	19.02
F8	MSP	869.53	68.83	-2	-1.63	-13.15
F8	MSP	922.04	-37.95	-2.41	-2.01	12.98
F8	MSP	836.02	-38.5	-1.86	-1.62	12.59
F8	MSP	979.34	48.72	-3.12	-2.38	-8.19
F8	MSP	836.17	-38.92	-1.89	-1.63	12.76
F8	MSP	955.41	69.8	-2.52	-2.01	-12.92
F8	MSP	924.26	17.4	-5.08	-3.64	-3.84
F8	MSP	889.51	18.9	-0.46	-0.43	-5.77
F8	MSP	929.11	68.48	-2.54	-2.01	-12.41
F8	MSP	862.47	-37.6	-1.87	-1.63	12.25

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
F9	MSÚ	931.34	114.99	3.31	1.76	-26.49
F9	MSÚ	933.45	-53.17	3.46	1.7	13.42
F9	MSÚ	764.02	-54.73	3.32	1.66	13.02
F9	MSÚ	1254.09	90.14	3.74	2.01	-20.94
F9	MSÚ	764.02	-55.15	3.29	1.64	13.19
F9	MSÚ	1100.76	116.98	3.48	1.82	-26.27
F9	MSÚ	904.92	32.22	-1.28	-1.19	-11.21
F9	MSÚ	1024.99	37.96	6.85	4.34	-13.98
F9	MSÚ	800.98	-19.17	2.75	1.37	3.66
F9	MSÚ	1091.02	83.87	3.54	1.94	-19.11
F9	MSP	802.09	82.95	2.76	1.48	-19.31
F9	MSP	879.32	-26.53	3.09	1.57	6.62
F9	MSP	766.36	-27.57	2.99	1.54	6.35
F9	MSP	942.26	63.17	3.18	1.76	-14.63
F9	MSP	766.37	-27.85	2.97	1.54	6.47
F9	MSP	915.04	84.27	2.87	1.52	-19.15
F9	MSP	860.3	30.4	-0.07	-0.35	-9.8
F9	MSP	864.52	31.6	5.12	3.2	-10.96
F9	MSP	791.01	-3.86	2.61	1.35	0.11
F9	MSP	908.54	62.2	2.91	1.6	-14.38

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
F10	MSÚ	1026.28	38.56	6.11	3.82	-14.98
F10	MSÚ	950.44	113.08	2.35	1.04	-26.83
F10	MSÚ	923.49	-51.43	4.09	2.02	12.81
F10	MSÚ	771.15	-52.94	3.13	1.43	12.5
F10	MSÚ	1257.67	89.14	3.5	1.76	-21.52
F10	MSÚ	771.16	-53.22	3.3	1.55	12.6
F10	MSÚ	1102.77	114.87	3.14	1.51	-26.62
F10	MSÚ	910.67	33.48	-1.99	-1.73	-11.72
F10	MSÚ	1022.34	-13.59	6.33	3.61	2.64
F10	MSÚ	808.09	-17.69	2.72	1.3	3.11
F10	MSÚ	1093.71	82.4	3.09	1.53	-19.51
F10	MSP	866.89	32.05	4.57	2.81	-11.73
F10	MSP	816.34	81.73	2.06	0.96	-19.63
F10	MSP	874.82	-25.29	3.43	1.72	6.07
F10	MSP	773.26	-26.3	2.78	1.33	5.86
F10	MSP	943.61	62.55	2.17	1.03	-15.09
F10	MSP	773.26	-26.48	2.9	1.41	5.93
F10	MSP	917.89	82.92	2.58	1.27	-19.49
F10	MSP	866.27	31.31	-0.63	-0.78	-10.28
F10	MSP	864.26	-2.72	4.71	2.67	0.02
F10	MSP	797.88	-2.8	2.51	1.24	-0.4
F10	MSP	911.85	61.27	2.55	1.29	-14.75



Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
F11	MSÚ	985.2	35.28	5.51	3.37	-14.28
F11	MSÚ	904.91	104.6	1.66	0.5	-26.05
F11	MSÚ	893.78	-48.66	2.82	1.05	13.42
F11	MSÚ	744.01	-48.38	2.45	0.87	12.36
F11	MSÚ	1204.12	80.72	1.95	0.63	-19.84
F11	MSÚ	758.65	-50.19	2.58	0.95	13.26
F11	MSÚ	1040.03	106.13	1.91	0.59	-25.9
F11	MSÚ	876.16	33.99	-2.79	-2.34	-12.03
F11	MSÚ	981.36	-14.04	5.92	3.23	3.77
F11	MSÚ	761.5	-46.86	2.28	0.73	11.59
F11	MSÚ	1030.21	38.15	2.26	1.3	-17.83
F11	MSP	833.31	29.42	3.88	2.3	-11.14
F11	MSP	779.78	75.63	1.32	0.39	-18.99
F11	MSP	846.21	-24.08	2.17	0.78	6.65
F11	MSP	746.37	-23.89	1.93	0.67	5.94
F11	MSP	903.6	56.75	1.84	0.73	-13.94
F11	MSP	756.13	-25.1	2.01	0.72	6.55
F11	MSP	869.86	76.65	1.48	0.46	-18.88
F11	MSP	834.47	31.03	-1.57	-1.47	-10.32
F11	MSP	830.74	-3.46	4.16	2.22	0.89
F11	MSP	758.03	-22.88	1.82	0.58	5.43
F11	MSP	863.31	31.33	1.71	0.92	-13.51

Jméno	Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]
F12	MSÚ	639.4	18.91	14.32	1.98	-9.35
F12	MSÚ	799.36	-30.31	17.89	10.2	8.53
F12	MSÚ	732.06	21.6	17.73	3.53	-9.95
F12	MSÚ	706.69	-33.01	14.48	8.64	9.13
F12	MSÚ	627.93	-33.45	12.69	7.51	8.61
F12	MSÚ	938.21	39.34	17.95	6.67	-5.55
F12	MSÚ	639.18	-33.99	12.15	7.17	8.89
F12	MSÚ	799.86	52.89	15.14	6.44	-8.33
F12	MSÚ	639.67	48.97	9.4	3.41	-7.86
F12	MSÚ	926.8	21.66	21.48	6.17	-6.67
F12	MSÚ	731.84	-31	15.52	8.7	8.2
F12	MSÚ	706.91	19.6	16.69	3.48	-9.02
F12	MSP	635.66	16.24	13.52	2.42	-6.61
F12	MSP	680.53	-17.65	14.73	7.57	5.42
F12	MSP	635.66	16.96	14.62	3.13	-6.9
F12	MSP	680.52	-18.37	13.63	6.86	5.71
F12	MSP	628.01	-18.66	12.43	6.1	5.37
F12	MSP	707.58	27.5	13.79	5.18	-3.76
F12	MSP	635.51	-19.02	12.08	5.88	5.56
F12	MSP	680.86	37.82	12.9	5.07	-5.81
F12	MSP	635.84	36.28	10.24	3.37	-5.61
F12	MSP	680.68	17.59	16.2	4.13	-6.74
F12	MSP	635.52	-18.11	13.15	6.57	5.2
F12	MSP	680.67	16.7	15.1	3.42	-6.39

# PILOTY OCELOVÉ VĚŽE

Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]	tíha patky
MSÚ	330.26	0	0	-34.63	-0.95	
MSÚ	-170.48	0	0	34.22	-1.61	
MSÚ	-129.41	0	0	-32.96	-2.02	
MSÚ	56.54	0	0	0.64	1.41	
MSÚ	-175.04	0	0	-33.08	-2.02	
MSÚ	330.27	0	0	-34.63	-0.95	
MSP	232.85	0	0	-23.11	-0.63	
MSP	-95.67	0	0	22.79	-1.07	
MSP	-74.51	0	0	-21.95	-1.35	
MSP	54.38	0	0	0.46	0.94	
MSP	-100.01	0	0	-22.03	-1.35	
MSP	232.86	0	0	-23.11	-0.63	

## KOTVENÍ OCELOVÉ VĚŽE NA PILOTÁCH

Stav	Rz [kN]	Mx [kNm]	My [kNm]	Rx [kN]	Ry [kN]	tíha patky
MSÚ	330.26	0	0	-34.63	-0.95	
MSÚ	-170.48	0	0	34.22	-1.61	
MSÚ	-129.41	0	0	-32.96	-2.02	
MSÚ	56.54	0	0	0.64	1.41	
<b>MSÚ*</b>	<b>-196.64</b>	<b>0</b>	<b>0</b>	<b>-33.08</b>	<b>-2.02</b>	<b>-21.6</b>
MSÚ	330.27	0	0	-34.63	-0.95	
MSP	232.85	0	0	-23.11	-0.63	
MSP	-95.67	0	0	22.79	-1.07	
MSP	-74.51	0	0	-21.95	-1.35	
MSP	54.38	0	0	0.46	0.94	
MSP	-100.01	0	0	-22.03	-1.35	
MSP	232.86	0	0	-23.11	-0.63	

\* pro posouzení tahového kotvení je nutné odečíst tíhu patky

