


Dynamická penetrační zkouška DP 2hmotnost beranidla 50 kg, výška pádu 0,5 m, průřez hrotu 15 cm²**Tabulka – výsledky měření**

hloubka [m]	N_{10} [–]	M_v [Nm]	q_{dyn} [MPa]	hloubka [m]	N_{10} [–]	M_v [Nm]	q_{dyn} [MPa]
0.1	1		1.7	10.1	15		6.2
0.2	2		3.0	10.2	22		10.8
0.3	4		5.5	10.3	23		11.4
0.4	5		6.8	10.4	15		6.2
0.5	6		8.1	10.5	14		5.6
0.6	8		10.6	10.6	16		6.9
0.7	11		14.4	10.7	22		10.8
0.8	11		14.4	10.8	18		7.7
0.9	11		14.4	10.9	12		3.9
1.0	6	0	7.4	11.0	16	100	3.9
1.1	12		14.2	11.1	20		8.9
1.2	12		14.1	11.2	100	100	58.8
1.3	14		16.4				
1.4	13		15.1				
1.5	14		16.2				
1.6	8		9.1				
1.7	7		7.9				
1.8	5		5.5				
1.9	5	20	5.4				
2.0	2		1.9				
2.1	2		1.9				
2.2	3		3.1				
2.3	2		2.1				
2.4	4		4.4				
2.5	4		4.4				
2.6	3		3.5				
2.7	3		3.5				
2.8	4		4.7				
2.9	5	0	5.9				
3.0	3		3.4				
3.1	2		2.3				
3.2	1		1.2				
3.3	4		4.0				
3.4	4		3.9				
3.5	5		4.7				
3.6	8		7.6				
3.7	6		5.4				
3.8	6		5.3				
3.9	5	30	4.2				
4.0	4		3.0				
4.1	2		1.1				
4.2	1		0.2				
4.3	2		1.1				
4.4	1		0.2				
4.5	2		1.1				
4.6	2		1.1				
4.7	1		0.2				
4.8	2		1.1				
4.9	1	30	0.2				
5.0	1		0.0				
5.1	2		0.7				
5.2	2		0.5				
5.3	3		1.5				
5.4	2		0.1				
5.5	4		1.7				
5.6	3		0.7				
5.7	3		0.5				
5.8	5		2.0				
5.9	4	70	0.8				
6.0	4		0.7				
6.1	4		0.6				
6.2	4		0.6				
6.3	4		0.5				
6.4	5		1.2				
6.5	4		0.3				
6.6	5		1.0				
6.7	5		0.9				
6.8	5		0.6				
6.9	6	90	1.3				
7.0	6		1.3				
7.1	6		1.2				
7.2	6		1.2				
7.3	6		1.1				
7.4	5		0.3				
7.5	6		1.0				
7.6	8		2.5				
7.7	6		1.0				
7.8	7		1.4				
7.9	9	100	2.8				
8.0	9		2.8				
8.1	12		5.0				
8.2	11		4.3				
8.3	12		5.0				
8.4	13		5.7				
8.5	11		4.3				
8.6	19		10.1				
8.7	18		9.3				
8.8	13		5.3				
8.9	15	100	6.7				
9.0	11		3.9				
9.1	13		5.3				
9.2	12		4.6				
9.3	10		3.2				
9.4	8		1.9				
9.5	7		1.2				
9.6	7		1.2				
9.7	7		1.2				
9.8	10		2.9				
9.9	39	100	21.9				
10.0	22		10.8				

SG Geotechnika a.s.

Geologická 988/4, 152 00 Praha 5

tel.: +420 234 654 111 fax: +420 234 654 112 e-mail: info@geotechnika.cz

Objednatel: Geotechnika Ďurove, s.r.o.

Název zakázky: Karlovy Vary DP

Číslo zakázky:

23.0027.255Z28

Měřili:

A. Horváth, M. Datel

Zpracoval:

L. Domin

Schválil:

Ing. M. Kvarda

Datum:

30.01.2023

Poznámka: