

# Výstavba PZS v km 28,238 (P4290) trati Hanušovice - Mikulovice

## PS 01

### Seznam souřadnic vytyčovaných bodů

Souřadnicový systém S-JTSK

Výškový systém Bpv

Číslo bodu	Y	X	Z	popis (poznámka)
1	552122.60	1050446.82	0.00	
2	552124.53	1050448.33	0.00	
3	552123.75	1050451.63	0.00	
4	552128.11	1050452.05	0.00	
5	552132.36	1050452.45	0.00	
6	552140.97	1050453.28	0.00	
7	552146.47	1050454.05	0.00	
8	552151.01	1050454.69	0.00	
9	552153.69	1050455.06	0.00	
10	552158.08	1050455.74	0.00	
11	552161.47	1050456.27	0.00	
12	552164.45	1050456.73	0.00	
13	552169.03	1050457.44	0.00	
14	552172.32	1050457.95	0.00	
15	552176.43	1050458.58	0.00	
16	552181.50	1050459.37	0.00	
17	552185.82	1050459.98	0.00	
18	552189.86	1050460.55	0.00	
19	552196.36	1050461.47	0.00	
20	552200.82	1050462.10	0.00	
21	552208.21	1050461.85	0.00	
22	552209.13	1050460.29	0.00	
23	552211.25	1050459.58	0.00	
24	552215.58	1050459.74	0.00	
25	552220.48	1050459.88	0.00	
26	552225.12	1050459.36	0.00	
27	552231.39	1050458.36	0.00	
28	552238.45	1050458.69	0.00	
29	552243.74	1050458.94	0.00	
30	552247.23	1050459.19	0.00	
31	552251.30	1050459.57	0.00	
32	552254.24	1050459.85	0.00	
33	552257.77	1050460.19	0.00	
34	552260.08	1050460.41	0.00	
35	552267.43	1050459.80	0.00	
36	552272.46	1050459.38	0.00	
37	552280.09	1050458.94	0.00	
38	552285.90	1050458.67	0.00	
39	552293.40	1050458.31	0.00	
40	552296.89	1050457.62	0.00	
41	552324.44	1050451.51	0.00	
42	552358.19	1050441.68	0.00	
43	552367.08	1050437.16	0.00	
44	552378.01	1050429.20	0.00	
45	552391.58	1050417.07	0.00	
46	552406.43	1050401.24	0.00	
47	552418.36	1050384.38	0.00	
48	552423.24	1050377.22	0.00	
49	552423.30	1050374.22	0.00	
50	552422.51	1050373.00	0.00	
51	552430.05	1050357.26	0.00	

Souřadnicový systém S-JTSK				Výškový systém Bpv
Číslo bodu	Y	X	Z	popis (poznámka)
52	552433.52	1050349.75	0.00	
53	552438.02	1050338.20	0.00	
54	552440.52	1050337.57	0.00	
55	552441.87	1050334.64	0.00	
56	552447.69	1050313.63	0.00	
57	552450.66	1050293.71	0.00	
58	552452.28	1050275.20	0.00	
59	552450.72	1050252.02	0.00	
60	552449.95	1050244.23	0.00	
61	552446.49	1050225.52	0.00	
62	552454.11	1050223.02	0.00	
63	552453.57	1050213.74	0.00	
64	552448.15	1050197.59	0.00	
65	552444.65	1050189.80	0.00	
66	552441.23	1050184.20	0.00	
67	552437.80	1050178.61	0.00	
68	552435.88	1050174.92	0.00	
69	552427.69	1050161.14	0.00	
70	552414.69	1050143.92	0.00	
71	552402.42	1050131.03	0.00	
72	552388.07	1050117.84	0.00	
73	552375.40	1050109.46	0.00	
74	552363.89	1050105.07	0.00	
75	552347.17	1050098.22	0.00	
76	552335.23	1050093.32	0.00	
77	552316.58	1050087.57	0.00	
78	552306.18	1050085.47	0.00	
79	552298.15	1050084.33	0.00	
80	552287.32	1050083.39	0.00	
81	552276.48	1050082.45	0.00	
82	552273.82	1050080.58	0.00	
83	552262.05	1050081.99	0.00	
84	552245.32	1050083.97	0.00	
85	552236.81	1050084.95	0.00	
86	552237.63	1050091.84	0.00	
87	552225.75	1050094.20	0.00	
88	552216.27	1050096.10	0.00	
89	552191.94	1050103.12	0.00	
90	552173.70	1050110.66	0.00	
91	552170.17	1050104.53	0.00	
92	552166.27	1050106.11	0.00	
93	552159.17	1050110.06	0.00	
94	552152.06	1050114.01	0.00	
95	552149.88	1050116.54	0.00	
96	552145.95	1050119.49	0.00	
97	552139.91	1050123.32	0.00	
98	552133.86	1050127.14	0.00	
99	552132.04	1050129.41	0.00	
100	552125.50	1050134.11	0.00	
101	552118.96	1050138.80	0.00	
102	552111.60	1050144.25	0.00	
103	552105.04	1050149.46	0.00	
104	552097.04	1050154.84	0.00	
105	552089.03	1050160.21	0.00	
106	552072.02	1050169.30	0.00	
107	552055.00	1050178.38	0.00	
108	552049.59	1050181.46	0.00	

Souřadnicový systém S-JTSK				Výškový systém Bpv
Číslo bodu	Y	X	Z	popis (poznámka)
109	552046.15	1050183.57	0.00	
110	552028.85	1050191.71	0.00	
111	552011.14	1050201.06	0.00	
112	551999.30	1050207.26	0.00	
113	551975.58	1050219.01	0.00	
114	551977.45	1050223.47	0.00	
115	551958.39	1050232.63	0.00	
116	551946.68	1050238.29	0.00	
117	551941.79	1050241.95	0.00	
118	551928.61	1050249.01	0.00	
119	551920.07	1050253.46	0.00	
120	551910.50	1050257.85	0.00	
121	551896.15	1050265.16	0.00	
122	551887.49	1050269.79	0.00	
123	551878.82	1050274.41	0.00	
124	551877.89	1050274.03	0.00	
125	551869.92	1050277.62	0.00	
126	551868.98	1050278.94	0.00	
127	551863.47	1050281.80	0.00	
128	551857.95	1050284.66	0.00	
129	551854.84	1050279.69	0.00	
130	551849.27	1050282.17	0.00	
131	551843.67	1050284.15	0.00	
132	551832.75	1050289.43	0.00	
133	551821.83	1050294.70	0.00	
134	551814.05	1050298.63	0.00	
135	551806.26	1050302.56	0.00	
136	551808.78	1050308.54	0.00	
137	551807.15	1050310.45	0.00	
138	551804.90	1050312.59	0.00	
139	551803.12	1050313.69	0.00	
140	551798.23	1050313.59	0.00	
141	551793.15	1050315.82	0.00	
142	551784.29	1050320.24	0.00	
143	551775.42	1050324.66	0.00	
144	551767.79	1050328.57	0.00	
145	551760.15	1050332.48	0.00	
146	551753.76	1050335.62	0.00	
147	551747.36	1050338.76	0.00	
148	551741.04	1050341.06	0.00	
149	551734.71	1050343.35	0.00	
150	551730.32	1050344.79	0.00	
151	551725.92	1050346.23	0.00	
152	551723.68	1050345.57	0.00	
153	551717.75	1050347.73	0.00	
154	551711.82	1050349.88	0.00	
155	551704.55	1050352.20	0.00	
156	551697.27	1050354.52	0.00	
157	551688.43	1050357.51	0.00	
158	551679.58	1050360.50	0.00	
159	551677.90	1050356.24	0.00	
160	551662.98	1050361.28	0.00	
161	551648.06	1050366.31	0.00	
162	551635.49	1050370.54	0.00	
163	551622.92	1050374.76	0.00	
164	551612.13	1050378.22	0.00	
165	551601.33	1050381.67	0.00	

Souřadnicový systém S-JTSK				Výškový systém Bpv
Číslo bodu	Y	X	Z	popis (poznámka)
166	551589.61	1050386.04	0.00	
167	551577.88	1050390.41	0.00	
168	551566.23	1050394.63	0.00	
169	551554.57	1050398.85	0.00	
170	551540.11	1050404.64	0.00	
171	551542.64	1050410.61	0.00	
172	551539.10	1050413.70	0.00	
173	551536.32	1050414.68	0.00	
174	551533.15	1050415.69	0.00	
175	551531.48	1050416.18	0.00	
176	551526.51	1050417.92	0.00	
177	551521.53	1050419.65	0.00	
178	551514.49	1050422.53	0.00	
179	551507.44	1050425.41	0.00	
180	551499.42	1050428.18	0.00	
181	551491.40	1050430.95	0.00	
182	551484.80	1050434.41	0.00	
183	551478.19	1050437.87	0.00	
184	551473.03	1050439.74	0.00	
185	551467.87	1050441.60	0.00	
186	551459.46	1050445.59	0.00	
187	551453.04	1050448.64	0.00	
188	551442.25	1050453.71	0.00	
189	551431.47	1050458.78	0.00	
190	551426.31	1050461.42	0.00	
191	551421.15	1050464.06	0.00	
192	551414.29	1050467.32	0.00	
193	551407.44	1050470.59	0.00	
194	551401.74	1050473.54	0.00	
195	551396.04	1050476.49	0.00	
196	551390.64	1050479.10	0.00	
197	551371.93	1050488.02	0.00	
198	551358.63	1050494.33	0.00	
199	551348.87	1050498.69	0.00	
200	551339.12	1050503.05	0.00	
201	551329.84	1050507.11	0.00	
202	551328.64	1050508.61	0.00	
203	551317.07	1050514.37	0.00	
204	551304.01	1050520.11	0.00	
205	551294.68	1050524.29	0.00	
206	551285.36	1050528.47	0.00	
207	551280.79	1050527.91	0.00	
208	551266.98	1050533.71	0.00	
209	551253.17	1050539.52	0.00	
210	551234.90	1050547.34	0.00	
211	551218.78	1050554.32	0.00	
212	551206.27	1050559.96	0.00	
213	551193.79	1050566.49	0.00	
214	551179.85	1050574.52	0.00	
215	551162.33	1050586.08	0.00	
216	551150.43	1050594.72	0.00	
217	551144.85	1050598.78	0.00	
218	551141.2981	1050594.1773	0.00	
219	551129.0091	1050603.0037	0.00	
220	551116.72	1050611.83	0.00	
221	551108.75	1050617.57	0.00	
222	551100.78	1050623.32	0.00	

Souřadnicový systém S-JTSK				Výškový systém Bpv
Číslo bodu	Y	X	Z	popis (poznámka)
223	551093.42	1050627.44	0.00	
224	551087.75	1050631.26	0.00	
225	551082.07	1050635.09	0.00	
226	551076.81	1050638.26	0.00	
227	551071.54	1050641.44	0.00	
228	551065.69	1050645.45	0.00	
229	551059.83	1050649.46	0.00	
230	551051.94	1050656.23	0.00	
231	551051.02	1050659.98	0.00	
232	551047.53	1050661.62	0.00	
233	551036.42	1050668.83	0.00	
234	551018.03	1050680.43	0.00	
235	551020.05	1050684.94	0.00	
236	551013.89	1050688.16	0.00	
237	551007.73	1050691.38	0.00	
238	550993.80	1050697.07	0.00	
239	550977.08	1050702.31	0.00	
240	550962.79	1050706.25	0.00	
241	550961.22	1050700.58	0.00	
242	550942.93	1050704.02	0.00	
243	550922.01	1050705.71	0.00	
244	550904.70	1050707.07	0.00	
245	550883.88	1050706.02	0.00	
246	550869.11	1050705.47	0.00	
247	550860.00	1050704.64	0.00	
248	550848.47	1050703.86	0.00	
249	550826.14	1050702.33	0.00	
250	550825.28	1050708.69	0.00	
251	550808.17	1050707.59	0.00	
252	550791.06	1050706.48	0.00	
253	550774.18	1050705.52	0.00	
254	550757.31	1050704.56	0.00	
255	550757.55	1050698.45	0.00	
256	550749.03	1050697.76	0.00	
257	550740.50	1050697.07	0.00	
258	550732.45	1050696.35	0.00	
259	550724.05	1050696.02	0.00	
260	550715.64	1050695.70	0.00	
261	550707.84	1050695.05	0.00	
262	550692.89	1050693.58	0.00	
263	550677.94	1050692.12	0.00	
264	550668.32	1050691.12	0.00	
265	550658.71	1050690.12	0.00	
266	550652.47	1050686.92	0.00	
267	550650.15	1050685.91	0.00	
268	550648.02	1050686.40	0.00	
269	550646.42	1050687.74	0.00	
270	550644.82	1050693.62	0.00	
271	550638.95	1050692.96	0.00	
272	550633.08	1050692.29	0.00	
273	550626.79	1050692.26	0.00	
274	550617.47	1050690.83	0.00	
275	550605.3615	1050680.6472	0.00	

Souřadnicový systém S-JTSK				Výškový systém Bpv
Číslo bodu	Y	X	Z	popis (poznámka)
Výstavba PZS v km 28,238 (P4290) trati Hanušovice - Mikulovice				
PS 02				
Seznam souřadnic vytyčovaných bodů				
Souřadnicový systém S-JTSK				Výškový systém Bpv
Číslo bodu	Y	X	Z	popis (poznámka)
1	551408.11	1050478.35	0.00	
2	551406.57	1050479.08	0.00	
3	551407.31	1050480.62	0.00	
4	551408.84	1050479.88	0.00	
5	551407.34	1050478.71	0.00	
6	551403.88	1050477.81	0.00	
7	551401.31	1050476.56	0.00	
8	551401.41	1050477.11	0.00	
9	551399.45	1050476.53	0.00	
10	551400.93	1050477.08	0.00	
11	551396.31	1050478.74	0.00	
12	551391.74	1050480.37	0.00	
13	551388.40	1050473.38	0.00	
14	551382.06	1050476.43	0.00	
15	551383.00	1050478.48	0.00	
16	551405.09	1050472.75	0.00	
17	551409.22	1050470.79	0.00	
18	551411.31	1050465.70	0.00	
19	551406.03	1050464.11	0.00	
20	551401.18	1050465.97	0.00	
21	551398.38	1050467.08	0.00	
22	551394.56	1050467.68	0.00	
23	551396.33	1050467.84	0.00	
Výstavba PZS v km 28,238 (P4290) trati Hanušovice - Mikulovice				
SO 01				
Seznam souřadnic vytyčovaných bodů				
Souřadnicový systém S-JTSK				Výškový systém Bpv
Číslo bodu	Y	X	Z	popis (poznámka)
1	551426,080	1050476,980	0,000	HDS, kabelová trasa
2	551408,270	1050471,570	0,000	kabelová trasa PS02